American Society of Plastic Surgeons Report of the 2010 Plastic Surgery Statistics



ASPS National Clearinghouse of Plastic Surgery Procedural Statistics

ASPS Public Relations Phone: 847-228-9900 Fax: 847-228-7485 Email: media@plasticsurgery.org Website: www.plasticsurgery.org



Please credit the American Society of Plastic Surgeons when citing statistical data or using graphics.

•

#### ► <u>Table of Contents</u>

- > About the American Society of Plastic Surgeons
- ► <u>Methodology and Validity</u>
- > 2010 Quick Facts Plastic Surgery Trends
- > 2010 Quick Facts Demographic Trends

ASPS Public Relations Phone: 847-228-9900 Fax: 847-228-7485 Email: media@plasticsurgery.org Website: www.plasticsurgery.org



## **2010 Plastic Surgery Statistics** *Table of Contents*

| Introduction  |    |
|---|----|
| About the American Society of Plastic Surgeons                | 3  |
| Methodology and Validity                                      | 4  |
| 2010 Quick Facts - Plastic Surgery Trends                     | 5  |
| 2010 Quick Facts - Demographic Trends                         | 6  |
|   |    |
| Statistical Reports   |    |
| Cosmetic Procedure Trends                                     | 7  |
| Cosmetic Procedure Charts                                     | 8  |
| Reconstructive Procedure Trends                               | 9  |
| Reconstructive Procedure Charts                               | 9  |
| Cosmetic Surgery Gender Distribution – Female                 | 10 |
| Top Five Cosmetic Surgery Gender Distribution Charts – Female |    |
| Cosmetic Surgery Gender Distribution – Male                   | 12 |
| Top Five Cosmetic Surgery Gender Distribution Charts – Male   | 13 |
| Cosmetic Surgery Age Distribution (13-19)                     | 14 |
| Cosmetic Surgery Age Distribution (20-29)                     | 15 |
| Cosmetic Surgery Age Distribution (30-39)                     |    |
| Cosmetic Surgery Age Distribution (40-54)                     |    |
| Cosmetic Surgery Age Distribution (55 and Over)               |    |
| Regional Distribution – Cosmetic Procedures                   | 19 |
| Average Surgeon/Physician Fees – Cosmetic Procedures          |    |
| Cosmetic Demographics   | 21 |
| Reconstructive Demographics                                   |    |
| Reconstructive Breast Surgery                                 | 22 |
|   |    |

## 2000-2010 ASPS Member Data Only

| Cosmetic Plastic Surgery Trends           | 23 |
|---|----|
| Reconstructive Plastic Surgery Trends     | 24 |
| Body Contouring After Massive Weight Loss | 25 |



Please credit the **American Society of Plastic Surgeons** when citing statistical data or using graphics.

•

#### Table of Contents

- About the American Society of Plastic Surgeons
- ► <u>Methodology and Validity</u>
- > 2010 Quick Facts Plastic Surgery Trends
- 2010 Quick Facts Demographic Trends

#### **ASPS Public Relations**

Phone: 847-228-9900 Fax: 847-228-7485 Email: media@plasticsurgery.org Website: www.plasticsurgery.org



# 2010 Plastic Surgery Statistics

About the American Society of Plastic Surgeons

### The American Society of Plastic Surgeons®

ASPS<sup>®</sup>, a non-profit organization, supports members in their efforts to provide the highest quality patient care through education, research and advocacy. It is the only organization with nearly two decades of plastic surgery statistics – 1992-2010. ASPS is the largest organization of board-certified plastic surgeons in the world. With more than 7,000 members, the Society is recognized as a leading authority and information source on cosmetic and reconstructive plastic surgery. ASPS comprises more than 94 percent of all board-certified plastic surgeons in the United States. Founded in 1931, the Society represents physicians certified by The American Board of Plastic Surgery, Inc.<sup>®</sup> (ABPS<sup>®</sup>) or The Royal College of Physicians and Surgeons of Canada.

The ASPS mission is to advance quality care to plastic surgery patients by encouraging high standards of training, ethics, physician practice, and research in plastic surgery.

ASPS Member Surgeons are uniquely qualified to perform cosmetic and reconstructive plastic surgery on the face and all areas of the body.

Consumers may visit the ASPS Website at www.plasticsurgery.org to find ASPS Member Surgeons in their area and learn more about cosmetic and reconstructive plastic surgery.

### **ASPS Spokespersons Network**

The ASPS Spokespersons Network is a valuable plastic surgery resource. It comprises more than 100 plastic surgeons from across the United States and Canada trained and available to assist journalists.

These spokespersons provide expert perspectives on a broad range of plastic surgery topics including procedural details, the patientphysician relationship, emerging trends, teens, and minorities.

They are also knowledgeable about the Society's positions on health care reform, scope of practice and other issues that affect patient care.

To arrange interviews with members of the ASPS Spokespersons Network, contact the ASPS Public Relations Department.

#### www.plasticsurgery.org

The ASPS online newsroom is the most comprehensive site for journalistic research on cosmetic and reconstructive plastic surgery on the Internet. The latest news releases and the online version of the National Clearinghouse of Plastic Surgery Statistics are available.

Full color graphics and statistical graphs can be downloaded or are available by contacting the ASPS Public Relations Department.

#### Pre- and Postoperative Photos and B-Roll

ASPS has a complete library of pre- and postoperative images and B-roll available to the media by contacting the ASPS Public Relations Department.

# ASPS Member Surgeons have the following qualifications:

- Are certified by The American Board of Plastic Surgery and trained specifically in plastic surgery.
- Have at least 6 years surgical training, minimum of 3 years plastic surgery training.
- ✓ Operate only in **accredited** medical facilities.
- ✓ Adhere to a strict code of **ethics**.
- Fulfill continuing education requirements, including patient safety techniques.
- Are partners with patients in cosmetic and reconstructive plastic surgery.



Please credit the **American Society of Plastic Surgeons** when citing statistical data or using graphics.



- Table of Contents
- > About the American Society of Plastic Surgeons
- ► <u>Methodology and Validity</u>
- > 2010 Quick Facts Plastic Surgery Trends
- 2010 Quick Facts Demographic Trends

#### **ASPS Public Relations**

Phone: 847-228-9900 Fax: 847-228-7485 Email: media@plasticsurgery.org Website: www.plasticsurgery.org



# 2010 Plastic Surgery Statistics

Methodology and Validity

### Methodology

Since 1992, the American Society of Plastic Surgeons<sup>®</sup> (ASPS<sup>®</sup>) has been the source of cosmetic and reconstructive plastic surgery statistical trends in the U.S., and this series represents nearly two decades of procedural data. ASPS has partnered with Data Harbor Solutions, a health care industry data management and technology development company, to ensure objectivity in the gathering, analysis and publication of its procedural statistics.

Since 2000, the report represents a universal and comprehensive estimate of cosmetic and reconstructive plastic surgery procedures performed by ASPS Member Surgeons as well as other physicians most likely to perform plastic surgery procedures. These physicians are all certified by American Board of Medical Specialties (ABMS) recognized boards.

ABMS is the umbrella organization for the 24 approved medical specialty boards in the United States. Established in 1933, ABMS serves to provide information concerning issues involving specialization and certification in medicine. The American Board of Plastic Surgery<sup>®</sup> (ABPS<sup>®</sup>) represents physicians who are certified by ABPS<sup>®</sup>, the only ABMS member board that certifies surgeons in plastic surgery of the face and entire body.

ASPS offers the most comprehensive, reliable statistics on plastic surgery procedures collected through the first online national database for plastic surgery procedures, Tracking Operations and Outcomes for Plastic Surgeons<sup>SM</sup> (TOPS<sup>SM</sup>). This data is combined with the annual survey sent to ABMS board-certified physicians. All responses are aggregated and extrapolated to the entire population of more than 24,000 physicians most likely to perform cosmetic and reconstructive plastic surgery procedures, resulting in the most accurate census available.

## Validity

Results of the survey are based on a 95 percent confidence level with a  $\pm 3.8$  percent margin of error.



Please credit the **American Society of Plastic Surgeons** when citing statistical data or using graphics.

-

#### ► Table of Contents

- > About the American Society of Plastic Surgeons
- ► <u>Methodology and Validity</u>
- > 2010 Quick Facts Plastic Surgery Trends
- > 2010 Quick Facts Demographic Trends

#### **ASPS Public Relations**

Phone: 847-228-9900 Fax: 847-228-7485 Email: media@plasticsurgery.org Website: www.plasticsurgery.org

ASPS Procedural Statistics represent procedures performed by ASPS Member Surgeons certified by The American Board of Plastic Surgery® as well as other physicians certified by American Board of Medical Specialties-recognized boards. @ASPS, 2011



# 2010 Quick Facts

Cosmetic and Reconstructive Plastic Surgery Trends

 Percentage change 2010 vs. 2009

 13.1 million cosmetic procedures ↑ 5%

 • 1.6 million cosmetic surgical procedures ↑ 2%

 • 11.6 million cosmetic minimally-invasive procedures ↑ 5%

5.3 million reconstructive procedures 12%

### 2010 Top 5 Cosmetic Surgical Procedures

| Cosmetic Surgical  | 2010 vs. 2009  |
|--|--|
| Breast augmentation<br>Nose reshaping<br>Eyelid surgery<br>Liposuction | <ul> <li>2%</li> <li>1%</li> <li>3%</li> <li>2%</li> </ul> |
| Tummy Tuck   | ▲ 1%   |

# Breast augmentation continues to be the top cosmetic surgical procedure and has held the title since 2006. Silicone implants were used in 60% of all breast augmentations in 2010, compared to 50% in 2009.

Although not among the Top 5 Cosmetic Surgical procedures, facelifts experienced significant growth in 2010 with nearly 113,000 procedures, up 9%. Facelifts have not experienced growth since 2007, before the recession.

#### 2010 Top 5 Cosmetic Minimally-Invasive Procedures

| Cosmetic Minimally-Invasive   | 2010 vs. 2009  | Injectables remained robust in 2010, with soft tissue fillers like |
|---|--|--|
| Botulinum Toxin Type A<br>Soft tissue fillers<br>Chemical peel<br>Laser hair removal<br>Microdermabrasion | <ul> <li>12%</li> <li>3%</li> <li>no change</li> <li>5%</li> <li>9%</li> </ul> | fat injections rising 14%.   |

## 2010 Top 5 Reconstructive Procedures

| Reconstructive        | 2010 vs. 2009 | Breast reconstruct   |
|-----------------------|---------------|----------------------|
| Tumor removal         | <b>1</b> 2%   | procedures. It repla |
| Laceration repair     | <b>1</b> 7%   | the fifth spot.      |
| Scar revision         | ➡ 6%          | ,                    |
| Hand surgery          | ➡ 4%          |                      |
| Breast reconstruction | <b>1</b> 8%   |                      |
|                       |               |                      |

Breast reconstruction is new to the Top 5 Reconstructive procedures. It replaces maxillofacial surgery in 2010, to claim the fifth spot.

#### 5



Please credit the American Society of Plastic Surgeons when citing statistical data or using graphics.

► Table of Contents

- About the American Society of Plastic Surgeons
- ► Methodology and Validity
- > 2010 Quick Facts Plastic Surgery Trends
- ► 2010 Quick Facts Demographic Trends

ASPS Public Relations Phone: 847-228-9900 Fax: 847-228-7485 Email: media@plasticsurgery.org Website: www.plasticsurgery.org

ASPS Procedural Statistics represent procedures performed by ASPS Member Surgeons certified by The American Board of Plastic Surgery® as well as other physicians certified by American Board of Medical Specialties-recognized boards. @ASPS, 2011



## **2010 Quick Facts** Cosmetic Plastic Surgery Demographic Trends

### Age

People age 13-19 had the least number of cosmetic procedures last year, only 2% of the total. Some of the most common procedures for teens were: nose reshaping, male breast reduction, ear surgery, laser hair removal, laser treatment of leg veins, and laser skin resurfacing.

| 20-29 year olds                   | 2010 vs. 2009 |
|-----------------------------------|---------------|
| 747,000 total cosmetic procedures | <b>1</b> 2%   |
| 253,000 surgical                  | <b>1</b> 2%   |
| 494,000 minimally-invasive        | <b>1</b> 2%   |

| 30-39 year olds                       | 2010 vs. 2009 |
|---------------------------------------|---------------|
| 2.4 million total cosmetic procedures | <b>1</b> 4%   |
| 361,000 surgical                      | <b>1</b> 3%   |
| 2 million minimally-invasive          | <b>1</b> 4%   |

| 40-54 year olds                             | 2010 vs. 2009         |
|---|-----------------------|
| Make up the majority of cosmetic procedure. | s – 48% of the total. |
| 6 million total cosmetic procedures         | <b>1</b> 6%           |
| 515,000 surgical                            | <b>1</b> 3%           |
| 5.5 million minimally-invasive              | <b>1</b> 6%           |

| 55 and over                           | 2010 vs. 2009 |
|---------------------------------------|---------------|
| 3.3 million total cosmetic procedures | <b>1</b> 4%   |
| 349,000 surgical                      | <b>1</b> 2%   |
| 2.9 million minimally-invasive        | <b>1</b> 4%   |

#### Gender

| 2010 vs. 2009                          |
|--|
|  |
| <b>1</b> 5%                            |
| <b>1</b> 2%                            |
| <b>1</b> 6%                            |
|  |
| 2010 vs. 2009                          |
|  |
| <b>1</b> 2%                            |
| <b>1</b> 2%                            |
| <b>1</b> 2%                            |
|  |
| 2010 vs. 2009                          |
| <b>1</b> 2%                            |
| <ul> <li>▲ 6%</li> <li>▲ 2%</li> </ul> |
|  |

#### Did you know...

- Business from repeat patients increased 13%
- \$10.1 billion spent on cosmetic procedures in the U.S., up 1.2%
- Office-based cosmetic procedures are up 5%
- Region with the most cosmetic procedures performed in the U.S. is Mountain/Pacific 3.7 million procedures

## Report of the 2010 Plastic Surgery Statistics

Please credit the American Society of Plastic Surgeons when citing statistical data or using graphics.

+ +

► Table of Contents

- > About the American Society of Plastic Surgeons
- ► <u>Methodology and Validity</u>
- > 2010 Quick Facts Plastic Surgery Trends
- > 2010 Quick Facts Demographic Trends

#### **ASPS Public Relations**

Phone: 847-228-9900 Fax: 847-228-7485 Email: media@plasticsurgery.org Website: www.plasticsurgery.org

All values are projected.

\* Data unavailable in prior year.
\*\*60% of total 2010 breast implants were silicone; 40% were saline.
\*\*\*Botulinum Toxin Type A numbers are of anatomic sites injected.

ASPS Procedural Statistics represent procedures performed by ASPS Member Surgeons certified by The American Board of Plastic Surgery® as well as other physicians certified by American Board of Medical Specialties-recognized boards. ®ASPS, 2011



# 2010 Cosmetic Plastic Surgery Statistics

Cosmetic Procedure Trends

| COSMETIC SURGICAL PROCEDURES                         | 2010      | 2009      | 2000      | % CHANGE<br>2010 vs. 2009 | % CHANGE<br>2010 vs. 2000 |
|--|-----------|-----------|-----------|---------------------------|---------------------------|
| Breast augmentation (Augmentation mammaplasty)**     | 296,203   | 289,328   | 212,500   | 2%                        | 39%                       |
| Breast implant removals (Augmentation patients only) | 21,714    | 19,857    | 40,787    | 9%                        | -47%                      |
| Breast lift (Mastopexy)                              | 89,931    | 87,386    | 52,836    | 3%                        | 70%                       |
| Breast reduction in men (Gynecomastia)               | 18,280    | 17,326    | 20,351    | 6%                        | -10%                      |
| Buttock implants                                     | 806       | 799       | *         | 1%                        | *                         |
| Buttock lift   | 3,289     | 3,143     | 1,356     | 5%                        | 143%                      |
| Calf augmentation                                    | 418       | 259       | *         | 61%                       | *                         |
| Cheek implant (Malar augmentation)                   | 8,158     | 8,789     | 10,427    | -7%                       | -22%                      |
| Chin augmentation (Mentoplasty)                      | 12,077    | 13,110    | 26,924    | -8%                       | -55%                      |
| Dermabrasion   | 68,636    | 63,764    | 42,218    | 8%                        | 63%                       |
| Ear surgery (Otoplasty)                              | 29,828    | 27,332    | 36,295    | 9%                        | -18%                      |
| Eyelid surgery (Blepharoplasty)                      | 208,764   | 203,309   | 327,514   | 3%                        | -36%                      |
| Facelift (Rhytidectomy)                              | 112,955   | 103,625   | 133,856   | 9%                        | -16%                      |
| Forehead lift  | 42,433    | 42,365    | 120,971   | 0%                        | -65%                      |
| Hair transplantation                                 | 18,996    | 17,787    | 44,694    | 7%                        | -57%                      |
| Lip augmentation (other than injectable materials)   | 17,143    | 21,651    | 18,589    | -21%                      | -8%                       |
| Liposuction  | 203,106   | 198,251   | 354,015   | 2%                        | -43%                      |
| Lower body lift                                      | 9,625     | 8,867     | 207       | 9%                        | 4550%                     |
| Nose reshaping (Rhinoplasty)                         | 252,261   | 255,972   | 389,155   | -1%                       | -35%                      |
| Pectoral implants                                    | 222       | 230       | *         | -3%                       | *                         |
| Thigh lift   | 9,234     | 8,563     | 5,303     | 8%                        | 74%                       |
| Tummy tuck (Abdominoplasty)                          | 116,352   | 115,191   | 62,713    | 1%                        | 86%                       |
| Upper arm lift                                       | 15,183    | 14,505    | 338       | 5%                        | 4392%                     |
| TOTAL COSMETIC SURGICAL PROCEDURES                   | 1,555,614 | 1,521,409 | 1,901,049 | 2%                        | -18%                      |

| COSMETIC MINIMALLY-INVASIVE PROCEDURES  | 2010       | 2009       | 2000      | % CHANGE<br>2010 vs. 2009 | % CHANGE<br>2010 vs. 2000 |
|---|------------|------------|-----------|---------------------------|---------------------------|
| Botulinum Toxin Type A (Botox <sup>®</sup> , Dysport <sup>®</sup> )***  | 5,379,360  | 4,795,357  | 786,911   | 12%                       | 584%                      |
| Cellulite treatment (e.g., Velosmooth®, Endermology)  | 31,227     | 34,278     | 23,952    | -9%                       | 30%                       |
| Chemical peel   | 1,144,865  | 1,142,949  | 1,149,457 | 0%                        | 0%                        |
| Intense Pulsed Light (IPL) treatment  | 459,529    | 429,734    | *         | 7%                        | *                         |
| Laser hair removal  | 937,602    | 893,054    | 735,996   | 5%                        | 27%                       |
| Laser skin resurfacing  | 426,695    | 434,830    | 170,951   | -2%                       | 150%                      |
| Ablative  | 113,368    | 110,931    | *         | 2%                        | *                         |
| Non-ablative (e.g., Fraxel®)  | 313,327    | 323,899    | *         | -3%                       | *                         |
| Laser treatment of leg veins  | 218,393    | 219,827    | 245,424   | -1%                       | -11%                      |
| Microdermabrasion   | 824,706    | 910,168    | 868,315   | -9%                       | -5%                       |
| Sclerotherapy   | 365,744    | 390,341    | 866,555   | -6%                       | -58%                      |
| Soft Tissue Fillers   | 1,773,328  | 1,722,054  | 652,885   | 3%                        | 172%                      |
| Calcium hydroxylapatite (e.g., Radiesse®)   | 209,973    | 192,053    | *         | 9%                        | *                         |
| Collagen  | 160,000    | 169,292    | 587,615   | -5%                       | -73%                      |
| Porcine/bovine-based (e.g., Evolence <sup>®</sup> , Zyderm <sup>®</sup> , Zyplast <sup>®</sup> )  | 27,919     | 36,688     | *         | -24%                      | *                         |
| Human-based (e.g., Cosmoderm <sup>®</sup> , Cosmoplast <sup>®</sup> , Cymetra <sup>®</sup> )  | 132,081    | 132,604    | *         | 0%                        | *                         |
| Fat   | 57,643     | 50,598     | 65,270    | 14%                       | -12%                      |
| Hyaluronic acid (e.g., Juvederm Ultra <sup>®</sup> , Juvederm Ultra Plus <sup>®</sup> , Perlane <sup>®</sup> ,<br>Restylane <sup>®</sup> , Prevelle Silk <sup>®</sup> ) | 1,201,368  | 1,209,217  | *         | -1%                       | *                         |
| Polylactic acid (Sculptra®)   | 120,194    | 85,883     | *         | 40%                       | *                         |
| Polymethyl-methacrylate microspheres (Artefill®)  | 24,150     | 15,011     | *         | 61%                       | *                         |
| TOTAL COSMETIC MINIMALLY-INVASIVE PROCEDURES  | 11,561,449 | 10,972,592 | 5,500,446 | 5%                        | 110%                      |
| TOTAL COSMETIC PROCEDURES   | 13,117,063 | 12,494,001 | 7,401,495 | 5%                        | 77%                       |



Please credit the **American Society of Plastic Surgeons** when citing statistical data or using graphics.

► Table of Contents

- > About the American Society of Plastic Surgeons
- ► <u>Methodology and Validity</u>
- > 2010 Quick Facts Plastic Surgery Trends
- 2010 Quick Facts Demographic Trends

ASPS Public Relations Phone: 847-228-9900 Fax: 847-228-7485 Email: media@plasticsurgery.org Website: www.plasticsurgery.org

ASPS Procedural Statistics represent procedures performed by ASPS Member Surgeons certified by The American Board of Plastic Surgery® as well as other physicians certified by American Board of Medical Specialties-recognized boards. @ASPS, 2011



# 2010 Top Five Cosmetic Plastic Surgery Procedures

**Cosmetic Procedure Charts** 





## Report of the 2010 Plastic Surgery Statistics

Please credit the American Society of Plastic Surgeons when citing statistical data or using graphics.

◆ ◆

► Table of Contents

- > About the American Society of Plastic Surgeons
- Methodology and Validity
- > 2010 Quick Facts Plastic Surgery Trends
- 2010 Quick Facts Demographic Trends

ASPS Public Relations

Phone: 847-228-9900 Fax: 847-228-7485 Email: media@plasticsurgery.org Website: www.plasticsurgery.org

All values are projected. \* Data unavailable in prior year. \*In 2000 figure included all animal bites. \*\*Counts of procedures performed by ASPS Member Surgeons only.

ASPS Procedural Statistics represent procedures performed by ASPS Member Surgeons certified by The American Board of Plastic Surgery® as well as other physicians certified by American Board of Medical Specialties-recognized boards. ®ASPS, 2011



# 2010 Reconstructive Plastic Surgery Statistics

Reconstructive Procedure Trends

| RECONSTRUCTIVE PROCEDURES                                | 2010      | 2009      | 2000    | % CHANGE<br>2010 vs. 2009 | % CHANGE<br>2010 vs. 2000 |
|--|-----------|-----------|---------|---------------------------|---------------------------|
| Dog bite repair^   | 32,961    | 30,484    | 43,089  | 8%                        | -24%                      |
| Birth defect reconstruction                              | 34,345    | 31,472    | 40,076  | 9%                        | -14%                      |
| Breast implant removals (Reconstructive patients only)^^ | 14,991    | 16,058    | 16,287  | -7%                       | -8%                       |
| Breast reconstruction                                    | 93,083    | 86,424    | 78,832  | 8%                        | 18%                       |
| Breast reduction   | 83,241    | 78,427    | 84,780  | 6%                        | -2%                       |
| Burn care  | 19,369    | 21,298    | *       | -9%                       | *                         |
| Hand surgery (excluding microsurgical)                   | 105,711   | 110,280   | *       | -4%                       | *                         |
| Laceration repair  | 356,601   | 332,314   | 358,666 | 7%                        | -1%                       |
| Maxillofacial surgery                                    | 87,024    | 90,347    | 79,331  | -4%                       | 10%                       |
| Microsurgery (other than breast)                         | 17,163    | 13,372    | *       | 28%                       | *                         |
| Scar revision  | 160,516   | 171,237   | 221,858 | -6%                       | -28%                      |
| Tumor removal (including skin cancer)                    | 4,042,955 | 3,949,895 | *       | 2%                        | *                         |
| Other reconstructive procedures                          | 259,276   | 264,398   | 376,270 | -2%                       | -31%                      |
| TOTAL RECONSTRUCTIVE PROCEDURES                          | 5,307,236 | 5,196,006 | *       | 2%                        | *                         |





Please credit the American Society of Plastic Surgeons when citing statistical data or using graphics.

← →

► Table of Contents

- > About the American Society of Plastic Surgeons
- ► <u>Methodology and Validity</u>
- > 2010 Quick Facts Plastic Surgery Trends
- > 2010 Quick Facts Demographic Trends

#### **ASPS Public Relations**

Phone: 847-228-9900 Fax: 847-228-7485 Email: media@plasticsurgery.org Website: www.plasticsurgery.org

All values are projected.

\* Data unavailable in prior year.
\*\*60% of total 2010 breast implants were silicone; 40% were saline.
\*\*\*Botulinum Toxin Type A numbers are of anatomic sites injected.

ASPS Procedural Statistics represent procedures performed by ASPS Member Surgeons certified by The American Board of Plastic Surgery® as well as other physicians certified by American Board of Medical Specialties-recognized boards. @ASPS, 2011



## 2010 Cosmetic Surgery Gender Distribution

Female

| COSMETIC SURGICAL PROCEDURES                         | 2010<br>TOTAL PROCEDURES | 2010<br>TOTAL FEMALE | % OF<br>TOTAL PROCEDURES | % CHANGE<br>2010 vs. 2009 | % CHANGE<br>2010 vs. 2000 |
|--|--------------------------|----------------------|--------------------------|---------------------------|---------------------------|
| Breast augmentation (Augmentation mammaplasty)**     | 296,203                  | 296,203              | 100%                     | 2%                        | 39%                       |
| Breast implant removals (Augmentation patients only) | 21,714                   | 21,714               | 100%                     | 9%                        | -47%                      |
| Breast lift (Mastopexy)                              | 89,931                   | 89,931               | 100%                     | 3%                        | 70%                       |
| Breast reduction in men (Gynecomastia)               | 18,280                   | 0                    | 0%                       | *                         | *                         |
| Buttock implants                                     | 806                      | 705                  | 87%                      | 1%                        | *                         |
| Buttock lift   | 3,289                    | 3,047                | 93%                      | 4%                        | 133%                      |
| Calf augmentation                                    | 418                      | 178                  | 43%                      | 60%                       | *                         |
| Cheek implant (Malar augmentation)                   | 8,158                    | 5,956                | 73%                      | -7%                       | -32%                      |
| Chin augmentation (Mentoplasty)                      | 12,077                   | 6,063                | 50%                      | -11%                      | -66%                      |
| Dermabrasion   | 68,636                   | 59,516               | 87%                      | 8%                        | 113%                      |
| Ear surgery (Otoplasty)                              | 29,828                   | 18,014               | 60%                      | 8%                        | -6%                       |
| Eyelid surgery (Blepharoplasty)                      | 208,764                  | 177,288              | 85%                      | 3%                        | -34%                      |
| Facelift (Rhytidectomy)                              | 112,955                  | 102,052              | <b>90</b> %              | 9%                        | -14%                      |
| Forehead lift  | 42,433                   | 37,765               | 89%                      | 1%                        | -65%                      |
| Hair transplantation                                 | 18,996                   | 5,779                | 30%                      | 20%                       | 42%                       |
| Lip augmentation (other than injectable materials)   | 17,143                   | 16,360               | 95%                      | -21%                      | -11%                      |
| Liposuction  | 203,106                  | 179,207              | 88%                      | 2%                        | -41%                      |
| Lower body lift                                      | 9,625                    | 8,770                | 91%                      | 9%                        | *                         |
| Nose reshaping (Rhinoplasty)                         | 252,261                  | 188,676              | 75%                      | -1%                       | -21%                      |
| Pectoral implants                                    | 222                      | 0                    | 0%                       | *                         | *                         |
| Thigh lift   | 9,234                    | 8,762                | 95%                      | 8%                        | 72%                       |
| Tummy tuck (Abdominoplasty)                          | 116,352                  | 111,642              | 96%                      | 1%                        | 85%                       |
| Upper arm lift                                       | 15,183                   | 14,849               | 98%                      | 5%                        | *                         |
| TOTAL COSMETIC SURGICAL PROCEDURES                   | 1,555,614                | 1,352,477            | 87%                      | 2%                        | -10%                      |

| COSMETIC MINIMALLY-INVASIVE PROCEDURES  | 2010<br>TOTAL PROCEDURES | 2010<br>TOTAL FEMALE | % OF<br>TOTAL PROCEDURES | % CHANGE<br>2010 vs. 2009 | % CHANGE<br>2010 vs. 2000 |
|---|--------------------------|----------------------|--------------------------|---------------------------|---------------------------|
| Botulinum Toxin Type A (Botox <sup>®</sup> , Dysport <sup>®</sup> )***  | 5,379,360                | 5,042,526            | 94%                      | 12%                       | 628%                      |
| Cellulite treatment (e.g., Velosmooth <sup>®</sup> , Endermology)   | 31,227                   | 26,796               | 86%                      | -9%                       | 12%                       |
| Chemical peel   | 1,144,865                | 1,054,568            | <b>92</b> %              | 0%                        | 11%                       |
| Intense Pulsed Light (IPL) treatment  | 459,529                  | -                    | -                        | -                         | -                         |
| Laser hair removal  | 937,602                  | 773,066              | 82%                      | 5%                        | 28%                       |
| Laser skin resurfacing  | 426,695                  | 374,608              | 88%                      | -2%                       | 151%                      |
| Ablative  | 113,368                  | -                    | -                        | -                         | -                         |
| Non-ablative (e.g., Fraxel®)  | 313,327                  | -                    | -                        | -                         | -                         |
| Laser treatment of leg veins  | 218,393                  | 190,465              | 87%                      | -1%                       | -15%                      |
| Microdermabrasion   | 824,706                  | 666,438              | <b>81</b> %              | -9%                       | -15%                      |
| Sclerotherapy   | 365,744                  | 360,458              | 99%                      | -6%                       | -57%                      |
| Soft Tissue Fillers   | 1,749,178                | 1,670,706            | 96%                      | 2%                        | 177%                      |
| Calcium hydroxylapatite (e.g., Radiesse®)   | 209,973                  | 195,896              | 93%                      | 9%                        | *                         |
| Collagen  | 160,000                  | 152,861              | 96%                      | -6%                       | -72%                      |
| Porcine/bovine-based (e.g., Evolence <sup>®</sup> , Zyderm <sup>®</sup> , Zyplast <sup>®</sup> )  | 27,919                   | -                    | -                        | -                         | -                         |
| Human-based (e.g., Cosmoderm <sup>®</sup> , Cosmoplast <sup>®</sup> , Cymetra <sup>®</sup> )  | 132,081                  | -                    | -                        | -                         | -                         |
| Fat   | 57,643                   | 54,033               | 94%                      | 14%                       | -12%                      |
| Hyaluronic acid (e.g., Juvederm Ultra <sup>®</sup> , Juvederm Ultra Plus <sup>®</sup> , Perlane <sup>®</sup> ,<br>Restylane <sup>®</sup> , Prevelle Silk <sup>®</sup> ) | 1,201,368                | 1,166,046            | 97%                      | -1%                       | *                         |
| Polylactic acid (Sculptra®)   | 120,194                  | 101,870              | 85%                      | 41%                       | *                         |
| Polymethyl-methacrylate microspheres (Artefill®)  | 24,150                   | -                    | -                        | -                         | -                         |
| TOTAL COSMETIC MINIMALLY-INVASIVE PROCEDURES  | 11,077,770               | 10,159,631           | 92%                      | 6%                        | 109%                      |
| TOTAL COSMETIC PROCEDURES   | 12,633,384               | 11,512,108           | 91%                      | 5%                        | 81%                       |



Please credit the **American Society of Plastic Surgeons** when citing statistical data or using graphics.

► Table of Contents

- > About the American Society of Plastic Surgeons
- ► <u>Methodology and Validity</u>
- > 2010 Quick Facts Plastic Surgery Trends
- 2010 Quick Facts Demographic Trends

ASPS Public Relations Phone: 847-228-9900 Fax: 847-228-7485 Email: media@plasticsurgery.org Website: www.plasticsurgery.org

ASPS Procedural Statistics represent procedures performed by ASPS Member Surgeons certified by The American Board of Plastic Surgery® as well as other physicians certified by American Board of Medical Specialties-recognized boards. @ASPS, 2011



# 2010 Cosmetic Surgery Gender Distribution Charts

Female







Please credit the American Society of Plastic Surgeons when citing statistical data or using graphics.

+ +

- ► Table of Contents
- > About the American Society of Plastic Surgeons
- ► <u>Methodology and Validity</u>
- > 2010 Quick Facts Plastic Surgery Trends
- > 2010 Quick Facts Demographic Trends

#### **ASPS Public Relations**

Phone: 847-228-9900 Fax: 847-228-7485 Email: media@plasticsurgery.org Website: www.plasticsurgery.org

All values are projected.

\* Data unavailable in prior year. \*\*\*Botulinum Toxin Type A numbers are of anatomic sites injected.

ASPS Procedural Statistics represent procedures performed by ASPS Member Surgeons certified by The American Board of Plastic Surgery® as well as other physicians certified by American Board of Medical Specialties-recognized boards. @ASPS, 2011



# 2010 Cosmetic Surgery Gender Distribution

Male

| COSMETIC SURGICAL PROCEDURES                         | 2010<br>TOTAL PROCEDURES | 2010<br>TOTAL MALE | % OF<br>TOTAL PROCEDURES | % CHANGE<br>2010 vs. 2009 | % CHANGE<br>2010 vs. 2000 |
|--|--------------------------|--------------------|--------------------------|---------------------------|---------------------------|
| Breast augmentation (Augmentation mammaplasty)       | 296,203                  | 0                  | 0%                       | -                         | -                         |
| Breast implant removals (Augmentation patients only) | 21,714                   | 0                  | 0%                       | -                         | -                         |
| Breast lift (Mastopexy)                              | 89,931                   | 0                  | 0%                       | -                         | -                         |
| Breast reduction in men (Gynecomastia)               | 18,280                   | 18,280             | 100%                     | 6%                        | -10%                      |
| Buttock implants                                     | 806                      | 101                | 13%                      | 3%                        | *                         |
| Buttock lift   | 3,289                    | 242                | 7%                       | 9%                        | 404%                      |
| Calf augmentation                                    | 418                      | 240                | 57%                      | 62%                       | *                         |
| Cheek implant (Malar augmentation)                   | 8,158                    | 2,202              | 27%                      | -8%                       | 32%                       |
| Chin augmentation (Mentoplasty)                      | 12,077                   | 6,014              | 50%                      | -4%                       | -34%                      |
| Dermabrasion   | 68,636                   | 9,120              | 13%                      | 4%                        | -36%                      |
| Ear surgery (Otoplasty)                              | 29,828                   | 11,814             | 40%                      | 11%                       | -31%                      |
| Eyelid surgery (Blepharoplasty)                      | 208,764                  | 31,476             | 15%                      | 4%                        | -45%                      |
| Facelift (Rhytidectomy)                              | 112,955                  | 10,903             | 10%                      | 14%                       | -28%                      |
| Forehead lift  | 42,433                   | 4,668              | 11%                      | -4%                       | -64%                      |
| Hair transplantation                                 | 18,996                   | 13,217             | 70%                      | 2%                        | -67%                      |
| Lip augmentation (other than injectable materials)   | 17,143                   | 783                | 5%                       | -17%                      | 238%                      |
| Liposuction  | 203,106                  | 23,899             | 12%                      | 7%                        | -54%                      |
| Lower body lift                                      | 9,625                    | 855                | 9%                       | 8%                        | 313%                      |
| Nose reshaping (Rhinoplasty)                         | 252,261                  | 63,585             | 25%                      | -4%                       | -58%                      |
| Pectoral implants                                    | 222                      | 222                | 100%                     | -3%                       | *                         |
| Thigh lift   | 9,234                    | 472                | 5%                       | 11%                       | 115%                      |
| Tummy tuck (Abdominoplasty)                          | 116,352                  | 4,710              | 4%                       | 1%                        | 105%                      |
| Upper arm lift                                       | 15,183                   | 334                | 2%                       | 10%                       | -                         |
| TOTAL COSMETIC SURGICAL PROCEDURES                   | 1,555,614                | 203,137            | 13%                      | 2%                        | -48%                      |

| COSMETIC MINIMALLY-INVASIVE PROCEDURES   | 2010<br>TOTAL PROCEDURES | 2010<br>TOTAL MALE | % OF<br>TOTAL PROCEDURES | % CHANGE<br>2010 vs. 2009 | % CHANGE<br>2010 vs. 2000 |
|--|--------------------------|--------------------|--------------------------|---------------------------|---------------------------|
| Botulinum Toxin Type A (Botox <sup>®</sup> , Dysport <sup>®</sup> )***                                 | 5,379,360                | 336,834            | 6%                       | 9%                        | 258%                      |
| Cellulite treatment (e.g., Velosmooth <sup>®</sup> , Endermology)                                      | 31,227                   | 4,431              | 14%                      | -7%                       | *                         |
| Chemical peel  | 1,144,865                | 90,297             | 8%                       | -3%                       | -55%                      |
| Intense Pulsed Light (IPL) treatment   | 459,529                  | -                  | -                        | -                         | -                         |
| Laser hair removal   | 937,602                  | 164,536            | 18%                      | 4%                        | 24%                       |
| Laser skin resurfacing   | 426,695                  | 52,087             | 12%                      | -3%                       | 141%                      |
| Ablative   | 113,368                  | -                  | -                        | -                         | -                         |
| Non-ablative (e.g., Fraxel®)   | 313,327                  | -                  | -                        | -                         | -                         |
| Laser treatment of leg veins   | 218,393                  | 27,928             | 13%                      | 4%                        | 33%                       |
| Microdermabrasion  | 824,706                  | 158,268            | 19%                      | -10%                      | 84%                       |
| Sclerotherapy  | 365,744                  | 5,286              | 1%                       | -8%                       | -80%                      |
| Soft Tissue Fillers  | 1,749,178                | 78,472             | 4%                       | 10%                       | 57%                       |
| Calcium hydroxylapatite (e.g., Radiesse®)  | 209,973                  | 14,077             | 7%                       | 9%                        | *                         |
| Collagen   | 160,000                  | 7,139              | 4%                       | -1%                       | -85%                      |
| Porcine/bovine-based (e.g., Evolence <sup>®</sup> , Zyderm <sup>®</sup> , Zyplast <sup>®</sup> )       | 27,919                   | -                  | -                        | -                         | -                         |
| Human-based (e.g., Cosmoderm <sup>®</sup> , Cosmoplast <sup>®</sup> , Cymetra <sup>®</sup> )           | 132,081                  | -                  | -                        | -                         | -                         |
| Fat  | 57,643                   | 3,610              | 6%                       | 10%                       | -8%                       |
| Hyaluronic acid (e.g., Juvederm Ultra®, Juvederm Ultra Plus®, Perlane®,<br>Restylane®, Prevelle Silk®) | 1,201,368                | 35,322             | 3%                       | 3%                        | *                         |
| Polylactic acid (Sculptra®)  | 120,194                  | 18,324             | 15%                      | 36%                       | *                         |
| Polymethyl-methacrylate microspheres (Artefill®)   | 24,150                   | -                  | -                        | -                         | -                         |
| TOTAL COSMETIC MINIMALLY-INVASIVE PROCEDURES   | 11,077,770               | 918,139            | 8%                       | 2%                        | 45%                       |
| TOTAL COSMETIC PROCEDURES  | 12,633,384               | 1,121,276          | 9%                       | 2%                        | 9%                        |



Please credit the **American Society of Plastic Surgeons** when citing statistical data or using graphics.

- ► Table of Contents
- > About the American Society of Plastic Surgeons
- ► <u>Methodology and Validity</u>
- > 2010 Quick Facts Plastic Surgery Trends
- 2010 Quick Facts Demographic Trends

ASPS Public Relations Phone: 847-228-9900 Fax: 847-228-7485 Email: media@plasticsurgery.org Website: www.plasticsurgery.org

ASPS Procedural Statistics represent procedures performed by ASPS Member Surgeons certified by The American Board of Plastic Surgery® as well as other physicians certified by American Board of Medical Specialties-recognized boards. @ASPS, 2011



# 2010 Cosmetic Surgery Gender Distribution Charts

Male





## Report of the 2010 Plastic Surgery Statistics

Please credit the American Society of Plastic Surgeons when citing statistical data or using graphics.

► Table of Contents

> About the American Society of Plastic Surgeons

- ► Methodology and Validity
- > 2010 Quick Facts Plastic Surgery Trends

> 2010 Quick Facts - Demographic Trends

ASPS Public Relations Phone: 847-228-9900 Fax: 847-228-7485 Email: media@plasticsurgery.org Website: www.plasticsurgery.org

All values are projected. ^ Total represents only 18 and 19 year olds. \*\*\*Botulinum Toxin Type A numbers are of anatomic sites injected.

ASPS Procedural Statistics represent procedures performed by ASPS Member Surgeons certified by The American Board of Plastic Surgery® as well as other physicians certified by American Board of Medical Specialties-recognized boards. ©ASPS, 2011



# 2010 Cosmetic Surgery Age Distribution

Age 13-19

| COSMETIC SURGICAL PROCEDURES                          | AGE 13-19<br>2010 TOTAL | AGE 13-19<br>% OF TOTAL PROCEDURES | AGE 13-19<br>% CHANGE 2010 vs 2009 |
|---|-------------------------|------------------------------------|------------------------------------|
| Breast augmentation (Augmentation mammaplasty)^       | 8,525                   | 3%                                 | 4%                                 |
| Breast implant removals (Augmentation patients only)^ | 78                      | 0%                                 | 8%                                 |
| Breast lift (Mastopexy)                               | 1,665                   | 2%                                 | 4%                                 |
| Breast reduction in men (Gynecomastia)                | 13,530                  | 74%                                | 5%                                 |
| Chin augmentation (Mentoplasty)                       | 1,070                   | 9%                                 | -8%                                |
| Dermabrasion  | 2,907                   | 4%                                 | 7%                                 |
| Ear surgery (Otoplasty)                               | 8,763                   | 29%                                | 11%                                |
| Eyelid surgery (Blepharoplasty)                       | 1,922                   | 1%                                 | 2%                                 |
| Lip augmentation (other than injectable materials)    | 171                     | 1%                                 | -22%                               |
| Liposuction   | 3,205                   | 2%                                 | 1%                                 |
| Nose reshaping (Rhinoplasty)                          | 35,005                  | 14%                                | 0%                                 |
| TOTAL COSMETIC SURGICAL PROCEDURES                    | 76,841                  | 5%                                 | 3%                                 |

| COSMETIC MINIMALLY-INVASIVE PROCEDURES  | AGE 13-19<br>2010 TOTAL | AGE 13-19<br>% OF TOTAL PROCEDURES | AGE 13-19<br>% CHANGE 2010 vs 2009 |
|---|-------------------------|------------------------------------|------------------------------------|
| Botulinum Toxin Type A (Botox <sup>®</sup> , Dysport <sup>®</sup> )***  | 13,467                  | 0%                                 | 13%                                |
| Chemical peel   | 5,474                   | 0%                                 | 2%                                 |
| Laser hair removal  | 66,664                  | 7%                                 | 2%                                 |
| Laser skin resurfacing  | 19,466                  | 5%                                 | 19%                                |
| Laser treatment of leg veins  | 20,991                  | 10%                                | 5%                                 |
| Microdermabrasion   | 9,091                   | 1%                                 | -5%                                |
| Sclerotherapy   | 2,030                   | 1%                                 | -3%                                |
| Soft Tissue Fillers   | 4,885                   | 0%                                 | 15%                                |
| Calcium hydroxylapatite (Radiesse®)   | 790                     | 0%                                 | 11%                                |
| Collagen  | 247                     | 0%                                 | 1%                                 |
| Fat   | 440                     | 1%                                 | 18%                                |
| Hyaluronic acid (Juvederm Ultra <sup>®</sup> , Juvederm Ultra Plus <sup>®</sup> , Perlane <sup>®</sup> ,<br>Prevelle Silk <sup>®</sup> , Restylane <sup>®</sup> ) | 2,077                   | 0%                                 | 8%                                 |
| Polylactic acid (Sculptra®)   | 1,331                   | 1%                                 | 34%                                |
| TOTAL COSMETIC MINIMALLY-INVASIVE PROCEDURES  | 142,068                 | 1%                                 | 5%                                 |
| TOTAL COSMETIC PROCEDURES   | 218,909                 | 2%                                 | 4%                                 |



Please credit the American Society of Plastic Surgeons when citing statistical data or using graphics.

➤ Table of Contents

- > About the American Society of Plastic Surgeons
- ► Methodology and Validity
- > 2010 Quick Facts Plastic Surgery Trends
- > 2010 Quick Facts Demographic Trends

#### **ASPS Public Relations**

Phone: 847-228-9900 Fax: 847-228-7485 **Email:** media@plasticsurgery.org Website: www.plasticsurgery.org

All values are projected. \*\*\*Botulinum Toxin Type A numbers are of anatomic sites injected.

ASPS Procedural Statistics represent procedures performed by ASPS Member Surgeons certified by The American Board of Plastic Surgery® as well as other physicians certified by American Board of Medical Specialties-recognized boards. ©ASPS, 2011



## 2010 Cosmetic Surgery Age Distribution

Age 20-29

Upper arm lift

Tummy tuck (Abdominoplasty)

TOTAL COSMETIC SURGICAL PROCEDURES

| COSMETIC SURGICAL PROCEDURES                         | AGE 20-29<br>2010 TOTAL | AGE 20-29<br>% OF TOTAL PROCEDURES | AGE 20-29<br>% CHANGE 2010 vs 2009 |
|--|-------------------------|------------------------------------|------------------------------------|
| Breast augmentation (Augmentation mammaplasty)       | 90,273                  | 30%                                | 4%                                 |
| Breast implant removals (Augmentation patients only) | 2,771                   | 13%                                | 10%                                |
| Breast lift (Mastopexy)                              | 13,065                  | 15%                                | 1%                                 |
| Breast reduction in men (Gynecomastia)               | 2,206                   | 12%                                | 4%                                 |
| Buttock implants                                     | 162                     | 20%                                | -1%                                |
| Buttock lift   | 419                     | 13%                                | 6%                                 |
| Calf augmentation                                    | 157                     | 38%                                | 62%                                |
| Cheek implant (Malar augmentation)                   | 787                     | 10%                                | -7%                                |
| Chin augmentation (Mentoplasty)                      | 1,637                   | 14%                                | -6%                                |
| Dermabrasion   | 4,556                   | 7%                                 | 9%                                 |
| Ear surgery (Otoplasty)                              | 8,717                   | 29%                                | 10%                                |
| Eyelid surgery (Blepharoplasty)                      | 3,820                   | 2%                                 | 1%                                 |
| Facelift (Rhytidectomy)                              | 323                     | 0%                                 | 9%                                 |
| Forehead lift  | 229                     | 1%                                 | -1%                                |
| Hair transplantation                                 | 1,542                   | 8%                                 | 8%                                 |
| Lip augmentation (other than injectable materials)   | 852                     | 5%                                 | -20%                               |
| Liposuction  | 31,205                  | 15%                                | 4%                                 |
| Lower body lift                                      | 896                     | 9%                                 | 7%                                 |
| Nose reshaping (Rhinoplasty)                         | 75,546                  | 30%                                | -3%                                |
| Pectoral implants                                    | 113                     | 51%                                | -5%                                |
| Thigh lift   | 613                     | 7%                                 | 10%                                |
|  |                         |                                    |                                    |

10%

9%

16%

| COSMETIC MINIMALLY-INVASIVE PROCEDURES   | AGE 20-29<br>2010 TOTAL | AGE 20-29<br>% OF TOTAL PROCEDURES | AGE 20-29<br>% CHANGE 2010 vs 2009 |
|--|-------------------------|------------------------------------|------------------------------------|
| Botulinum Toxin Type A (Botox <sup>®</sup> , Dysport <sup>®</sup> )***                           | 78,452                  | 1%                                 | 11%                                |
| Cellulite treatment (Velosmooth <sup>®</sup> , Endermology)                                      | 6,760                   | 22%                                | -9%                                |
| Chemical peel  | 13,507                  | 1%                                 | 2%                                 |
| Intense Pulsed Light (IPL) treatment   | -                       | -                                  | -                                  |
| Laser hair removal   | 209,886                 | 22%                                | 5%                                 |
| Laser skin resurfacing   | 25,522                  | 6%                                 | -4%                                |
| Ablative   | -                       | -                                  | -                                  |
| Non-ablative (Fraxel <sup>®</sup> , etc.)  | -                       | -                                  | -                                  |
| Laser treatment of leg veins   | 27,321                  | 13%                                | -1%                                |
| Microdermabrasion  | 66,617                  | 8%                                 | -11%                               |
| Sclerotherapy  | 15,464                  | 4%                                 | -6%                                |
| Soft Tissue Fillers  | 50,912                  | 3%                                 | 5%                                 |
| Calcium hydroxylapatite (Radiesse®)  | 4,205                   | 2%                                 | 10%                                |
| Collagen   | 7,023                   | 4%                                 | -5%                                |
| Porcine/bovine-based (Evolence <sup>®</sup> , Zyderm <sup>®</sup> , Zyplast <sup>®</sup> )       | -                       | -                                  | -                                  |
| Human-based (Cosmoderm <sup>®</sup> , Cosmoplast <sup>®</sup> , Cymetra <sup>®</sup> )           | -                       | -                                  | -                                  |
| Fat  | 3,025                   | 5%                                 | 13%                                |
| Hyaluronic acid (Juvederm Ultra®, Juvederm Ultra Plus®, Perlane®,<br>Prevelle Silk®, Restylane®) | 30,190                  | 3%                                 | 0%                                 |
| Polylactic acid (Sculptra®)  | 6,469                   | 5%                                 | 40%                                |
| Polymethyl-methacrylate microspheres (Artefill®)   | -                       | -                                  | -                                  |
| TOTAL COSMETIC MINIMALLY-INVASIVE PROCEDURES   | 494,441                 | 4%                                 | 2%                                 |
| TOTAL COSMETIC PROCEDURES  | 747,418                 | 6%                                 | 2%                                 |

11,654

252.977

1,434

Top 5 procedures appear in bold

2%

4%

2%



Please credit the American Society of Plastic Surgeons when citing statistical data or using graphics.

← →

► Table of Contents

- > About the American Society of Plastic Surgeons
- ► <u>Methodology and Validity</u>
- > 2010 Quick Facts Plastic Surgery Trends
- > 2010 Quick Facts Demographic Trends

### **ASPS Public Relations**

Phone: 847-228-9900 Fax: 847-228-7485 Email: media@plasticsurgery.org Website: www.plasticsurgery.org

All values are projected. \*\*\*Botulinum Toxin Type A numbers are of anatomic sites injected.

ASPS Procedural Statistics represent procedures performed by ASPS Member Surgeons certified by The American Board of Plastic Surgery® as well as other physicians certified by American Board of Medical Specialties-recognized boards. @ASPS, 2011



# 2010 Cosmetic Surgery Age Distribution

Age 30-39

| COSMETIC SURGICAL PROCEDURES                         | AGE 30-39<br>2010 TOTAL | AGE 30-39<br>% OF TOTAL PROCEDURES | AGE 30-39<br>% CHANGE 2010 vs 2009 |
|--|-------------------------|------------------------------------|------------------------------------|
| Breast augmentation (Augmentation mammaplasty)       | 107,638                 | 36%                                | 4%                                 |
| Breast implant removals (Augmentation patients only) | 6,743                   | 31%                                | 11%                                |
| Breast lift (Mastopexy)                              | 28,550                  | 32%                                | 2%                                 |
| Breast reduction in men (Gynecomastia)               | 1,414                   | 8%                                 | 6%                                 |
| Buttock implants                                     | 288                     | 36%                                | 2%                                 |
| Buttock lift   | 909                     | 28%                                | 5%                                 |
| Calf augmentation                                    | 168                     | 40%                                | 62%                                |
| Cheek implant (Malar augmentation)                   | 1,611                   | 20%                                | -7%                                |
| Chin augmentation (Mentoplasty)                      | 1,532                   | 13%                                | -10%                               |
| Dermabrasion   | 7,627                   | 11%                                | 8%                                 |
| Ear surgery (Otoplasty)                              | 5,190                   | 17%                                | 9%                                 |
| Eyelid surgery (Blepharoplasty)                      | 14,143                  | 7%                                 | 4%                                 |
| acelift (Rhytidectomy)                               | 1,717                   | 2%                                 | 8%                                 |
| Forehead lift  | 1,499                   | 4%                                 | -1%                                |
| Hair transplantation                                 | 1,827                   | 10%                                | 8%                                 |
| ip augmentation (other than injectable materials)    | 2,045                   | 12%                                | -20%                               |
| iposuction   | 67,382                  | 33%                                | 4%                                 |
| ower body lift                                       | 2,695                   | 28%                                | 10%                                |
| Nose reshaping (Rhinoplasty)                         | 62,447                  | 25%                                | -2%                                |
| Pectoral implants                                    | 42                      | 19%                                | -2%                                |
| Thigh lift   | 2,606                   | 28%                                | 8%                                 |
| Fummy tuck (Abdominoplasty)                          | 40,706                  | 35%                                | 3%                                 |
| Jpper arm lift                                       | 2,327                   | 15%                                | 3%                                 |
| TOTAL COSMETIC SURGICAL PROCEDURES                   | 361,106                 | 23%                                | 3%                                 |

| COSMETIC MINIMALLY-INVASIVE PROCEDURES  | AGE 30-39<br>2010 TOTAL | AGE 30-39<br>% OF TOTAL PROCEDURES | AGE 30-39<br>% CHANGE 2010 vs 2009 |
|---|-------------------------|------------------------------------|------------------------------------|
| Botulinum Toxin Type A (Botox <sup>®</sup> , Dysport <sup>®</sup> )***  | 1,014,098               | 19%                                | 11%                                |
| Cellulite treatment (Velosmooth®, Endermology)  | 16,995                  | 54%                                | -9%                                |
| Chemical peel   | 139,631                 | 12%                                | 0%                                 |
| Intense Pulsed Light (IPL) treatment  | -                       | -                                  | -                                  |
| Laser hair removal  | 276,174                 | 29%                                | 5%                                 |
| Laser skin resurfacing  | 32,842                  | 8%                                 | -4%                                |
| Ablative  | -                       | -                                  | -                                  |
| Non-ablative (Fraxel <sup>®</sup> , etc.)   | -                       | -                                  | -                                  |
| Laser treatment of leg veins  | 64,810                  | 30%                                | -1%                                |
| Microdermabrasion   | 199,617                 | 24%                                | -9%                                |
| Sclerotherapy   | 71,788                  | 20%                                | -5%                                |
| Soft Tissue Fillers   | 198,546                 | 11%                                | 1%                                 |
| Calcium hydroxylapatite (Radiesse®)   | 19,298                  | 9%                                 | 11%                                |
| Collagen  | 24,812                  | 16%                                | -6%                                |
| Porcine/bovine-based (Evolence <sup>®</sup> , Zyderm <sup>®</sup> , Zyplast <sup>®</sup> )  | -                       | -                                  | -                                  |
| Human-based (Cosmoderm <sup>®</sup> , Cosmoplast <sup>®</sup> , Cymetra <sup>®</sup> )  | -                       | -                                  | -                                  |
| Fat   | 7,277                   | 13%                                | 16%                                |
| Hyaluronic acid (Juvederm Ultra <sup>®</sup> , Juvederm Ultra Plus <sup>®</sup> , Perlane <sup>®</sup> ,<br>Prevelle Silk <sup>®</sup> , Restylane <sup>®</sup> ) | 134,990                 | 11%                                | -2%                                |
| Polylactic acid (Sculptra®)   | 12,169                  | 10%                                | 38%                                |
| Polymethyl-methacrylate microspheres (Artefill®)  | -                       | -                                  | -                                  |
| TOTAL COSMETIC MINIMALLY-INVASIVE PROCEDURES  | 2,014,501               | 18%                                | 4%                                 |
| TOTAL COSMETIC PROCEDURES   | 2,375,607               | 19%                                | 4%                                 |



Please credit the American Society of Plastic Surgeons when citing statistical data or using graphics.

← →

► Table of Contents

- > About the American Society of Plastic Surgeons
- ► <u>Methodology and Validity</u>
- > 2010 Quick Facts Plastic Surgery Trends
- > 2010 Quick Facts Demographic Trends

#### **ASPS Public Relations**

Phone: 847-228-9900 Fax: 847-228-7485 Email: media@plasticsurgery.org Website: www.plasticsurgery.org

All values are projected. \*\*\*Botulinum Toxin Type A numbers are of anatomic sites injected.

ASPS Procedural Statistics represent procedures performed by ASPS Member Surgeons certified by The American Board of Plastic Surgery® as well as other physicians certified by American Board of Medical Specialties-recognized boards. @ASPS, 2011



## **2010 Cosmetic Surgery Age Distribution** Age 40-54

| COSMETIC SURGICAL PROCEDURES                         | AGE 40-54<br>2010 TOTAL | AGE 40-54<br>% OF TOTAL PROCEDURES | AGE 40-54<br>% CHANGE 2010 vs 2009 |
|--|-------------------------|------------------------------------|------------------------------------|
| Breast augmentation (Augmentation mammaplasty)       | 82,666                  | 28%                                | 2%                                 |
| Breast implant removals (Augmentation patients only) | 8,681                   | 40%                                | 10%                                |
| Breast lift (Mastopexy)                              | 33,391                  | 37%                                | 2%                                 |
| Breast reduction in men (Gynecomastia)               | 728                     | 4%                                 | 7%                                 |
| Buttock implants                                     | 300                     | 37%                                | -1%                                |
| Buttock lift   | 1,408                   | 43%                                | 5%                                 |
| Calf augmentation                                    | 65                      | 16%                                | 59%                                |
| Cheek implant (Malar augmentation)                   | 3,783                   | 46%                                | -9%                                |
| Chin augmentation (Mentoplasty)                      | 2,875                   | 24%                                | -10%                               |
| Dermabrasion   | 26,139                  | 38%                                | 10%                                |
| Ear surgery (Otoplasty)                              | 4,179                   | 14%                                | 8%                                 |
| Eyelid surgery (Blepharoplasty)                      | 88,501                  | 42%                                | 3%                                 |
| Facelift (Rhytidectomy)                              | 36,533                  | 32%                                | 10%                                |
| Forehead lift  | 17,477                  | 41%                                | 2%                                 |
| Hair transplantation                                 | 4,231                   | 22%                                | 6%                                 |
| Lip augmentation (other than injectable materials)   | 6,086                   | 36%                                | -20%                               |
| Liposuction  | 81,163                  | 40%                                | 2%                                 |
| Lower body lift                                      | 4,119                   | 43%                                | 9%                                 |
| Nose reshaping (Rhinoplasty)                         | 54,822                  | 22%                                | -1%                                |
| Pectoral implants                                    | 40                      | 18%                                | -2%                                |
| Thigh lift   | 4,367                   | 47%                                | 6%                                 |
| Tummy tuck (Abdominoplasty)                          | 47,486                  | 41%                                | 1%                                 |
| Upper arm lift                                       | 6,413                   | 42%                                | 6%                                 |
| TOTAL COSMETIC SURGICAL PROCEDURES                   | 515,453                 | 33%                                | 3%                                 |
|  |                         |                                    |                                    |
| COSMETIC MINIMALLY-INVASIVE PROCEDURES               | AGE 40-54<br>2010 TOTAL | AGE 40-54<br>% OF TOTAL PROCEDURES | AGE 40-54<br>% CHANGE 2010 vs 2009 |

| COSMETIC MINIMALLY-INVASIVE PROCEDURES  | 2010 TOTAL | % OF TOTAL PROCEDURES | % CHANGE 2010 vs 2009 |
|---|------------|-----------------------|-----------------------|
| Botulinum Toxin Type A (Botox <sup>®</sup> , Dysport <sup>®</sup> )***  | 3,059,501  | 57%                   | 13%                   |
| Cellulite treatment (Velosmooth <sup>®</sup> , Endermology)   | 7,460      | 24%                   | -8%                   |
| Chemical peel   | 503,281    | 44%                   | -2%                   |
| Intense Pulsed Light (IPL) treatment  | -          | -                     | -                     |
| Laser hair removal  | 321,882    | 34%                   | 5%                    |
| Laser skin resurfacing  | 172,681    | 40%                   | -2%                   |
| Ablative  | -          | -                     | -                     |
| Non-ablative (Fraxel <sup>®</sup> , etc.)   | -          | -                     | -                     |
| Laser treatment of leg veins  | 69,627     | 32%                   | 1%                    |
| Microdermabrasion   | 352,018    | 43%                   | -11%                  |
| Sclerotherapy   | 180,337    | 49%                   | -4%                   |
| Soft Tissue Fillers   | 856,780    | 48%                   | 4%                    |
| Calcium hydroxylapatite (Radiesse®)   | 83,449     | 40%                   | 9%                    |
| Collagen  | 59,390     | 37%                   | -7%                   |
| Porcine/bovine-based (Evolence <sup>®</sup> , Zyderm <sup>®</sup> , Zyplast <sup>®</sup> )  | -          | -                     | -                     |
| Human-based (Cosmoderm <sup>®</sup> , Cosmoplast <sup>®</sup> , Cymetra <sup>®</sup> )  | -          | -                     | -                     |
| Fat   | 20,744     | 36%                   | 15%                   |
| Hyaluronic acid (Juvederm Ultra <sup>®</sup> , Juvederm Ultra Plus <sup>®</sup> , Perlane <sup>®</sup> ,<br>Prevelle Silk <sup>®</sup> , Restylane <sup>®</sup> ) | 623,062    | 52%                   | 1%                    |
| Polylactic acid (Sculptra®)   | 70,135     | 58%                   | 40%                   |
| Polymethyl-methacrylate microspheres (Artefill®)  | =          | -                     | -                     |
| TOTAL COSMETIC MINIMALLY-INVASIVE PROCEDURES  | 5,523,567  | 50%                   | 6%                    |
| TOTAL COSMETIC PROCEDURES   | 6,039,020  | 48%                   | 6%                    |

## Report of the 2010 Plastic Surgery Statistics

Please credit the American Society of Plastic Surgeons when citing statistical data or using graphics.

← →

► Table of Contents

- > About the American Society of Plastic Surgeons
- ► <u>Methodology and Validity</u>
- > 2010 Quick Facts Plastic Surgery Trends
- > 2010 Quick Facts Demographic Trends

#### **ASPS Public Relations**

Phone: 847-228-9900 Fax: 847-228-7485 Email: media@plasticsurgery.org Website: www.plasticsurgery.org

All values are projected. \*\*\*Botulinum Toxin Type A numbers are of anatomic sites injected.

ASPS Procedural Statistics represent procedures performed by ASPS Member Surgeons certified by The American Board of Plastic Surgery® as well as other physicians certified by American Board of Medical Specialties-recognized boards. @ASPS, 2011



## 2010 Cosmetic Surgery Age Distribution

Age 55 and over

| COSMETIC SURGICAL PROCEDURES                         | AGE 55 AND OVER<br>2010 TOTAL | AGE 55 AND OVER<br>% OF TOTAL PROCEDURES | AGE 55 AND OVER<br>% CHANGE 2010 vs 2009 |
|--|-------------------------------|--|--|
| Breast augmentation (Augmentation mammaplasty)       | 7,101                         | 2%                                       | -30%                                     |
| Breast implant removals (Augmentation patients only) | 3,441                         | 16%                                      | 6%                                       |
| Breast lift (Mastopexy)                              | 13,260                        | 15%                                      | 9%                                       |
| Breast reduction in men (Gynecomastia)               | 402                           | 2%                                       | 39%                                      |
| Buttock implants                                     | 56                            | 7%                                       | 6%                                       |
| Buttock lift   | 553                           | 17%                                      | 3%                                       |
| Calf augmentation                                    | 28                            | 7%                                       | 65%                                      |
| Cheek implant (Malar augmentation)                   | 1,977                         | 24%                                      | -5%                                      |
| Chin augmentation (Mentoplasty)                      | 4,963                         | 41%                                      | -7%                                      |
| Dermabrasion   | 27,407                        | 40%                                      | 6%                                       |
| Ear surgery (Otoplasty)                              | 2,979                         | 10%                                      | 4%                                       |
| Eyelid surgery (Blepharoplasty)                      | 100,378                       | 48%                                      | 3%                                       |
| Facelift (Rhytidectomy)                              | 74,382                        | 66%                                      | 9%                                       |
| orehead lift   | 23,228                        | 55%                                      | -1%                                      |
| Hair transplantation                                 | 11,396                        | 60%                                      | 7%                                       |
| Lip augmentation (other than injectable materials)   | 7,989                         | 47%                                      | -21%                                     |
| Liposuction  | 20,151                        | 10%                                      | -5%                                      |
| Lower body lift                                      | 1,915                         | 20%                                      | 6%                                       |
| Nose reshaping (Rhinoplasty)                         | 24,441                        | 10%                                      | 2%                                       |
| Pectoral implants                                    | 27                            | 12%                                      | 0%                                       |
| Fhigh lift   | 1,648                         | 18%                                      | 12%                                      |
| Fummy tuck (Abdominoplasty)                          | 16,506                        | 14%                                      | -3%                                      |
| Upper arm lift                                       | 5,009                         | 33%                                      | 4%                                       |
| TOTAL COSMETIC SURGICAL PROCEDURES                   | 349,237                       | 22%                                      | 2%                                       |
| COSMETIC MINIMALLY-INVASIVE PROCEDURES               | AGE 55 AND OVER               | AGE 55 AND OVER                          | AGE 55 AND OVER                          |
|  | 2010 TOTAL                    | % OF TOTAL PROCEDURES                    | % CHANGE 2010 vs 2009                    |
| Botulinum Toxin Type A (Botox®, Dysport®)***         | 1,213,842                     | 23%                                      | 12%                                      |
| Cellulite treatment (Velosmooth®, Endermology)       | 12                            | 0%                                       | -91%                                     |
| Chemical neel  | /182 072                      | /2%                                      | 2%                                       |

| Botulinum Toxin Type A (Botox <sup>®</sup> , Dysport <sup>®</sup> )***                                   | 1,213,842 | 23% | 12%  |
|--|-----------|-----|------|
| Cellulite treatment (Velosmooth®, Endermology)   | 12        | 0%  | -91% |
| Chemical peel  | 482,972   | 42% | 2%   |
| Intense Pulsed Light (IPL) treatment   | -         | -   | -    |
| Laser hair removal   | 62,996    | 7%  | 6%   |
| Laser skin resurfacing   | 176,184   | 41% | -3%  |
| Ablative   | -         | -   | -    |
| Non-ablative (Fraxel <sup>®</sup> , etc.)  | -         | -   | -    |
| Laser treatment of leg veins   | 35,644    | 16% | -6%  |
| Microdermabrasion  | 197,363   | 24% | -7%  |
| Sclerotherapy  | 96,125    | 26% | -10% |
| Soft Tissue Fillers  | 638,055   | 36% | 1%   |
| Calcium hydroxylapatite (Radiesse®)  | 102,231   | 49% | 10%  |
| Collagen   | 68,528    | 43% | -4%  |
| Porcine/bovine-based (Evolence®, Zyderm®, Zyplast®)  | -         | -   | -    |
| Human-based (Cosmoderm <sup>®</sup> , Cosmoplast <sup>®</sup> , Cymetra <sup>®</sup> )                   | -         | -   | -    |
| Fat  | 26,157    | 45% | 13%  |
| Hyaluronic acid (Juvederm Ultra <sup>®</sup> , Juvederm Ultra Plus <sup>®</sup> , Perlane <sup>®</sup> , | 411,049   | 34% | -3%  |
| Prevelle Silk <sup>®</sup> , Restylane <sup>®</sup> )  |           |     |      |
| Polylactic acid (Sculptra®)  | 30,090    | 25% | 41%  |
| Polymethyl-methacrylate microspheres (Artefill®)   | -         | -   | -    |
| TOTAL COSMETIC MINIMALLY-INVASIVE PROCEDURES   | 2,903,193 | 26% | 4%   |
|  |           |     |      |
| TOTAL COSMETIC PROCEDURES  | 3,252,430 | 26% | 4%   |



Please credit the **American Society of Plastic Surgeons** when citing statistical data or using graphics.

West South Central (AR, LA, OK, TX)

**Region 5** 

Mountain (AZ, CO, ID, MT, NV, NM, UT, WY)

Pacific (AK, CA, HI, OR, WA)



New England (CT, ME, MA, NH, RI, VT) Middle Atlantic (NJ, NY, PA)

Region 2



East North Central (IL, IN, MI, OH, WI) West North Central (IA, KS, MN, MO, NE, ND, SD)





South Atlantic (DE, DC, FL, GA, MD, NC, SC, VA, WV, PR)

All values are projected. \*\*\*Botulinum Toxin Type A numbers are of anatomic sites injected.

ASPS Procedural Statistics represent procedures performed by ASPS Member Surgeons certified by The American Board of Plastic Surgery® as well as other physicians certified by American Board of Medical Specialties-recognized boards. @ASPS, 2011

# 2010 Regional Distribution

**Regional Distribution** 

|  | 2010             | % OF TOTAL PROCEDURES |               |               |               |               |  |  |  |
|--|------------------|-----------------------|---------------|---------------|---------------|---------------|--|--|--|
| COSMETIC SURGICAL PROCEDURES                         | TOTAL PROCEDURES | Region 1              | Region 2      | Region 3      | Region 4      | Region 5      |  |  |  |
| Breast augmentation (Augmentation mammaplasty)       | 296,203          | 14% (42,663)          | 16% (47,925)  | 15% (45,620)  | 16% (48,666)  | 38% (111,329) |  |  |  |
| Breast implant removals (Augmentation patients only) | 21,714           | 19% (4,138)           | 17% (3,798)   | 20% (4,354)   | 22% (4,762)   | 21% (4,662)   |  |  |  |
| Breast lift (Mastopexy)                              | 89,931           | 13% (11,301)          | 15% (13,813)  | 20% (18,305)  | 20% (17,647)  | 32% (28,865)  |  |  |  |
| Breast reduction in men (Gynecomastia)               | 18,280           | 32% (5,933)           | 17% (3,098)   | 16% (2,958)   | 11% (2,016)   | 23% (4,275)   |  |  |  |
| Buttock implants                                     | 806              | 16% (130)             | 13% (107)     | 29% (236)     | 23% (183)     | 19% (150)     |  |  |  |
| Buttock lift   | 3,289            | 24% (779)             | 32% (1,040)   | 17% (567)     | 14% (465)     | 13% (438)     |  |  |  |
| Calf augmentation                                    | 418              | 28% (118)             | 10% (43)      | 28% (118)     | 12% (49)      | 22% (90)      |  |  |  |
| Cheek implant (Malar augmentation)                   | 8,158            | 18% (1,439)           | 9% (774)      | 20% (1,604)   | 42% (3,397)   | 12% (944)     |  |  |  |
| Chin augmentation (Mentoplasty)                      | 12,077           | 25% (2,980)           | 15% (1,769)   | 15% (1,854)   | 11% (1,331)   | 34% (4,143)   |  |  |  |
| Dermabrasion   | 68,636           | 12% (8,536)           | 31% (20,977)  | 22% (15,435)  | 13% (8,618)   | 22% (15,070)  |  |  |  |
| Ear surgery (Otoplasty)                              | 29,828           | 19% (5,684)           | 20% (5,899)   | 16% (4,690)   | 15% (4,491)   | 30% (9,064)   |  |  |  |
| Eyelid surgery (Blepharoplasty)                      | 208,764          | 19% (39,150)          | 13% (27,260)  | 21% (43,065)  | 12% (24,832)  | 36% (74,457)  |  |  |  |
| Facelift (Rhytidectomy)                              | 112,955          | 20% (22,404)          | 12% (13,166)  | 23% (25,556)  | 14% (15,986)  | 32% (35,843)  |  |  |  |
| Forehead lift  | 42,433           | 15% (6,449)           | 13% (5,723)   | 17% (7,272)   | 18% (7,826)   | 36% (15,163)  |  |  |  |
| Hair transplantation                                 | 18,996           | 10% (1,937)           | 10% (1,844)   | 12% (2,215)   | 47% (9,010)   | 21% (3,990)   |  |  |  |
| Lip augmentation (other than injectable materials)   | 17,143           | 25% (4,346)           | 17% (2,918)   | 17% (2,872)   | 19% (3,338)   | 21% (3,669)   |  |  |  |
| Liposuction  | 203,106          | 17% (34,844)          | 13% (26,495)  | 22% (44,075)  | 14% (29,101)  | 34% (68,591)  |  |  |  |
| Lower body lift                                      | 9,625            | 29% (2,764)           | 15% (1,436)   | 12% (1,125)   | 21% (1,988)   | 24% (2,312)   |  |  |  |
| Nose reshaping (Rhinoplasty)                         | 252,261          | 29% (73,831)          | 14% (35,672)  | 13% (31,940)  | 17% (43,670)  | 27% (67,148)  |  |  |  |
| Pectoral implants                                    | 222              | 16% (35)              | 10% (23)      | 27% (60)      | 19% (42)      | 28% (62)      |  |  |  |
| Thigh lift   | 9,234            | 26% (2,408)           | 16% (1,454)   | 14% (1,334)   | 20% (1,823)   | 24% (2,215)   |  |  |  |
| Tummy tuck (Abdominoplasty)                          | 116,352          | 19% (22,381)          | 19% (21,652)  | 18% (20,695)  | 16% (19,083)  | 28% (32,541)  |  |  |  |
| Upper arm lift                                       | 15,183           | 30% (4,519)           | 15% (2,251)   | 21% (3,246)   | 13% (2,012)   | 21% (3,155)   |  |  |  |
| TOTAL COSMETIC SURGICAL PROCEDURES                   | 1,555,614        | 19% (298,769)         | 15% (239,137) | 18% (279,196) | 16% (250,336) | 31% (488,176) |  |  |  |

| COSMETIC MINIMALLY-INVASIVE PROCEDURES  | 2010             |                | % (               | OF TOTAL PROCEDU | RES             |                 |
|---|------------------|----------------|-------------------|------------------|-----------------|-----------------|
| COSMETIC MINIMALLI-INVASIVE PROCEDURES  | TOTAL PROCEDURES | Region 1       | Region 2          | Region 3         | Region 4        | Region 5        |
| Botulinum Toxin Type A (Botox <sup>®</sup> , Dysport <sup>®</sup> )***  | 5,379,360        | 20% (1,079,04  | l) 14% (767,334)  | 24% (1,270,639)  | 14% (771,586)   | 28% (1,490,760) |
| Cellulite treatment (Velosmooth®, Endermology)  | 31,227           | 23% (7,084)    | 22% (6,994)       | 20% (6,369)      | 11% (3,433)     | 24% (7,347)     |
| Chemical peel   | 1,144,865        | 24% (276,933   | ) 16% (182,198)   | 19% (220,905)    | 9% (104,765)    | 31% (360,064)   |
| Intense Pulsed Light (IPL) treatment  | 459,529          | 25% (114,338)  | 14% (66,355)      | 17% (77,622)     | 8% (37,861)     | 29% (133,558)   |
| Laser hair removal  | 937,602          | 18% (168,765   | ) 13% (123,553)   | 22% (205,020)    | 16% (147,567)   | 31% (292,697)   |
| Laser skin resurfacing  | 426,695          | 19% (83,160)   | 23% (96,280)      | 15% (65,601)     | 10% (44,581)    | 32% (137,073)   |
| Ablative  | 113,368          | -              | -                 | -                | -               | -               |
| Non-ablative (Fraxel <sup>®</sup> , etc.)   | 313,327          | -              | -                 | -                | -               | -               |
| Laser treatment of leg veins  | 218,393          | 24% (52,508)   | 11% (23,667)      | 16% (34,409)     | 11% (23,809)    | 38% (84,000)    |
| Microdermabrasion   | 824,706          | 25% (203,409   | ) 20% (161,278)   | 21% (173,146)    | 11% (90,815)    | 24% (196,058)   |
| Sclerotherapy   | 365,744          | 16% (59,084)   | 12% (43,554)      | 22% (81,855)     | 35% (127,192)   | 15% (54,059)    |
| Soft Tissue Fillers   | 1,773,328        | 31% (547,268   | ) 13% (222,903)   | 18% (321,672)    | 11% (200,760)   | 27% (471,586)   |
| Calcium hydroxylapatite (Radiesse®)   | 209,973          | 35% (73,371)   | 16% (33,370)      | 20% (41,042)     | 15% (31,268)    | 15% (30,922)    |
| Collagen  | 160,000          | 45% (71,447)   | 8% (12,044)       | 16% (26,292)     | 11% (18,312)    | 20% (31,905)    |
| Porcine/bovine-based (Evolence®, Zyderm®, Zyplast®)   | 27,919           | -              | -                 | -                | -               | -               |
| Human-based (Cosmoderm <sup>®</sup> , Cosmoplast <sup>®</sup> , Cymetra <sup>®</sup> )  | 132,081          | -              | -                 | -                | -               | -               |
| Fat   | 57,643           | 18% (10,212)   | 20% (11,378)      | 24% (13,986)     | 8% (4,609)      | 30% (17,458)    |
| Hyaluronic acid (Juvederm Ultra <sup>®</sup> , Juvederm Ultra Plus <sup>®</sup> ,<br>Perlane <sup>®</sup> , Prevelle Silk <sup>®</sup> , Restylane <sup>®</sup> ) | 1,201,368        | 31% (374,383)  | 12% (138,982)     | 18% (216,610)    | 9% (102,965)    | 31% (368,428)   |
| Polylactic acid (Sculptra®)   | 120,194          | 13% (15,429)   | 22% (26,314)      | 15% (18,368)     | 35% (42,617)    | 15% (17,466)    |
| Polymethyl-methacrylate microspheres (Artefill®)  | 24,150           | 10% (2,426)    | 3% (815)          | 22% (5,374)      | 4% (989)        | 22% (5,407)     |
| COSMETIC MINIMALLY-INVASIVE PROCEDURES  | 11,561,449       | 22% 2,591,590  | 15% (1,694,116)   | 21% (2,457,238)  | 13% (1,552,369) | 28% (3,227,202) |
|   |                  |                |                   |                  |                 |                 |
| TOTAL COSMETIC PROCEDURES   | 13,117,063       | 22% (2,890,359 | ) 15% (1,933,253) | 21% (2,736,434)  | 14% (1,802,705) | 28% (3,715,378) |

## Report of the 2010 Plastic Surgery Statistics

Please credit the American Society of Plastic Surgeons when citing statistical data or using graphics.

+ +

#### ► Table of Contents

- > About the American Society of Plastic Surgeons
- ► <u>Methodology and Validity</u>
- > 2010 Quick Facts Plastic Surgery Trends
- > 2010 Quick Facts Demographic Trends

#### **ASPS Public Relations**

Phone: 847-228-9900 Fax: 847-228-7485 Email: media@plasticsurgery.org Website: www.plasticsurgery.org

All values are projected.

Fees generally vary according to region of country and patient needs. These fees are averages only. Fees do not include anesthesia, operating room facilities or other related expenses.

ASPS Procedural Statistics represent procedures performed by ASPS Member Surgeons certified by The American Board of Plastic Surgery® as well as other physicians certified by American Board of Medical Specialties-recognized boards. ®ASPS, 2011



## 2010 Average Surgeon/Physician Fees

**Cosmetic Procedures** 

| COSMETIC SURGICAL PROCEDURES                         | NATIONAL AVERAGE<br>SURGEON/PHYSICIAN FEE | TOTAL<br>EXPENDITURE |
|--|---|----------------------|
| Breast augmentation (Augmentation mammaplasty)       | \$3,351                                   | \$992,432,214        |
| Breast implant removals (Augmentation patients only) | \$2,288                                   | \$49,689,719         |
| Breast lift (Mastopexy)                              | \$4,207                                   | \$378,310,208        |
| Breast reduction in men (Gynecomastia)               | \$3,013                                   | \$55,068,500         |
| Buttock implants                                     | \$4,500                                   | \$3,627,000          |
| Buttock lift   | \$4,379                                   | \$14,402,242         |
| Calf augmentation                                    | \$3,900                                   | \$1,630,335          |
| Cheek implant (Malar augmentation)                   | \$2,739                                   | \$22,344,309         |
| Chin augmentation (Mentoplasty)                      | \$2,000                                   | \$24,154,000         |
| Dermabrasion   | \$1,200                                   | \$82,363,200         |
| Ear surgery (Otoplasty)                              | \$3,054                                   | \$91,105,025         |
| Eyelid surgery (Blepharoplasty)                      | \$2,828                                   | \$590,328,829        |
| Facelift (Rhytidectomy)                              | \$6,231                                   | \$703,805,832        |
| Forehead lift  | \$3,161                                   | \$134,114,530        |
| Hair transplantation                                 | \$4,676                                   | \$88,819,252         |
| Lip augmentation (other than injectable materials)   | \$1,683                                   | \$28,848,962         |
| Liposuction  | \$2,884                                   | \$585,668,787        |
| Lower body lift                                      | \$7,247                                   | \$69,752,647         |
| Nose reshaping (Rhinoplasty)                         | \$4,306                                   | \$1,086,142,208      |
| Pectoral implants                                    | \$3,810                                   | \$845,811            |
| Thigh lift   | \$4,507                                   | \$41,617,065         |
| Tummy tuck (Abdominoplasty)                          | \$5,130                                   | \$596,935,062        |
| Upper arm lift                                       | \$3,729                                   | \$56,619,969         |

| COSMETIC MINIMALLY-INVASIVE PROCEDURES   | NATIONAL AVERAGE<br>SURGEON/PHYSICIAN FEE | TOTAL<br>EXPENDITURE |
|--|---|----------------------|
| Botulinum Toxin Type A (Botox <sup>®</sup> , Dysport <sup>®</sup> )***                                 | \$375                                     | \$1,008,630,000      |
| Cellulite treatment (e.g., Velosmooth <sup>®</sup> , Endermology)                                      | \$230                                     | \$7,182,210          |
| Chemical peel  | \$706                                     | \$807,807,900        |
| Intense Pulsed Light (IPL) treatment   | \$470                                     | \$216,077,809        |
| Laser hair removal   | \$383                                     | \$359,148,446        |
| Laser skin resurfacing   |   |                      |
| Ablative   | \$2,040                                   | \$231,256,264        |
| Non-ablative (e.g., Fraxel®)   | \$1,156                                   | \$362,235,159        |
| Laser treatment of leg veins   | \$404                                     | \$88,190,141         |
| Microdermabrasion  | \$146                                     | \$120,202,549        |
| Sclerotherapy  | \$354                                     | \$129,459,309        |
| Soft Tissue Fillers  |   |                      |
| Calcium hydroxylapatite (e.g., Radiesse®)  | \$650                                     | \$136,482,450        |
| Collagen   |   |                      |
| Porcine/bovine-based (e.g., Evolence <sup>®</sup> , Zyderm <sup>®</sup> , Zyplast <sup>®</sup> )       | \$468                                     | \$13,055,456         |
| Human-based (e.g., Cosmoderm <sup>®</sup> , Cosmoplast <sup>®</sup> , Cymetra <sup>®</sup> )           | \$475                                     | \$62,793,129         |
| Fat  | \$1,700                                   | \$97,978,188         |
| Hyaluronic acid (e.g., Juvederm Ultra®, Juvederm Ultra Plus®, Perlane®,<br>Restylane®, Prevelle Silk®) | \$547                                     | \$657,069,702        |
| Polylactic acid (Sculptra®)  | \$940                                     | \$112,953,021        |
| Polymethyl-methacrylate microspheres (Artefill®)   | \$1,099                                   | \$26,541,629         |
| Total 2010 Expenditures  |   | \$10,135,689,068     |



Please credit the American Society of Plastic Surgeons when citing statistical data or using graphics.

- ► <u>Table of Contents</u>
- > About the American Society of Plastic Surgeons
- ► <u>Methodology and Validity</u>
- > 2010 Quick Facts Plastic Surgery Trends
- > 2010 Quick Facts Demographic Trends

#### **ASPS Public Relations**

Phone: 847-228-9900 Fax: 847-228-7485 Email: media@plasticsurgery.org Website: www.plasticsurgery.org

All values are projected.

ASPS Procedural Statistics represent procedures performed by ASPS Member Surgeons certified by The American Board of Plastic Surgery® as well as other physicians certified by American Board of Medical Specialties-recognized boards. @ASPS, 2011



# 2010 Cosmetic Demographics

| Patient Behavior  |              | % 201  | 0              |                     | % 2009 | % CHANGE<br>2010 vs. 2009 |  |
|---|--------------|--------|----------------|---------------------|--------|---------------------------|--|
| Cosmetic patients who are repeat patients                                   |              | 50%    |                |                     | 47%    | 13%                       |  |
| Patients having multiple cosmetic procedures at the same time               |              | 47%    |                |                     | 44%    | 12%                       |  |
| Cosmetic procedures performed in  | 2010         | % 201  | 0              | 2009                | % 2009 | % CHANGE<br>2010 vs. 2009 |  |
| Office  | 9,061,719    | 69%    |                | 8,659,502           | 69%    | 5%                        |  |
| Hospital  | 1,468,260    | 11%    |                | 1,415,150           | 11%    | 4%                        |  |
| Free-standing Ambulatory Surgical Facility                                  | 2,587,084    | 20%    |                | 2,419,348           | 19%    | 7%                        |  |
|   |              |        |                |                     |        |                           |  |
| Ethnicity breakdown of cosmetic procedures                                  | 2010         | % 201  | 0              | 2009                | % 2009 | % CHANGE<br>2010 vs. 2009 |  |
| Caucasian   | 9,237,393    | 70%    |                | 8,738,944           | 70%    | 6%                        |  |
| Hispanic  | 1,489,152    | 11%    |                | 1,455,094           | 12%    | 2%                        |  |
| African-American  | 1,047,420    | 8%     |                | 985,807             | 8%     | 6%                        |  |
| Asian-American  | 760,691      | 6%     |                | 742,784             | 6%     | 2%                        |  |
| Other   | 582,407      | 4%     |                | 571,372             | 5%     | 2%                        |  |
|   |              |        |                |                     |        |                           |  |
| Most commonly requested cosmetic surgical<br>procedures for ethnic patients | African-Am   | erican | Asian-American |                     | 1      | Hispanic                  |  |
|   | Liposuction  |        |                | Breast augmentation | Brea   | st augmentation           |  |
| Surgical  | Nose reshap  | ing    | Nose reshaping |                     |        | Liposuction               |  |
|   | Breast reduc | tion   | Eyelid surgery |                     | N      | Nose reshaping            |  |

| Most commonly requested cosmetic minimally-invasive<br>procedures for ethnic patients | African-American                             | Asian-American                               | Hispanic                                     |  |
|---|--|--|--|--|
| Minimally-invasive  | Botulinum Toxin Type A (Botox®,<br>Dysport®) | Injectable fillers                           | Injectable fillers                           |  |
|   | Injectable fillers                           | Botulinum Toxin Type A (Botox®,<br>Dysport®) | Botulinum Toxin Type A (Botox®,<br>Dysport®) |  |
|   | Chemical peel                                | Chemical peel                                | Chemical peel                                |  |



Please credit the American Society of Plastic Surgeons when citing statistical data or using graphics.



#### ► Table of Contents

► About the American Society of Plastic Surgeons

#### ► <u>Methodology and Validity</u>

> 2010 Quick Facts - Plastic Surgery Trends

> 2010 Quick Facts - Demographic Trends

#### **ASPS Public Relations**

Phone: 847-228-9900 Fax: 847-228-7485 Email: media@plasticsurgery.org Website: www.plasticsurgery.org

#### All values are projected.

ASPS Procedural Statistics represent procedures performed by ASPS Member Surgeons certified by The American Board of Plastic Surgery® as well as other physicians certified by American Board of Medical Specialties-recognized boards. ®ASPS, 2011



# 2010 Reconstructive Demographics

| Reconstructive procedures performed in     | 2010      | % 2010 | 2009      | % 2009 | % CHANGE<br>2010 vs. 2009 |
|--|-----------|--------|-----------|--------|---------------------------|
| Office                                     | 2,560,474 | 48%    | 2,279,754 | 44%    | 12%                       |
| Hospital                                   | 1,921,375 | 36%    | 1,984,649 | 38%    | -3%                       |
| Free-standing Ambulatory Surgical Facility | 825,387   | 16%    | 931,603   | 18%    | -11%                      |

## 2010 Reconstructive Breast Procedures

(with age distribution)

| RECONSTRUCTIVE PROCEDURES                              | TOTAL PROCEDURES | 13-19 | 20-29  | 30-39  | 40-54  | 55 AND OVER |
|--|------------------|-------|--------|--------|--------|-------------|
| Breast reconstruction                                  | 93,083           | 555   | 2,466  | 11,203 | 47,155 | 31,704      |
| Saline Implants  | 18,334           | -     | -      | -      | -      | -           |
| Silicone Implants                                      | 50,559           | -     | -      | -      | -      | -           |
| Implant alone  | 9,452            | -     | -      | -      | -      | -           |
| Tissue expander and implant                            | 62,081           | -     | -      | -      | -      | -           |
| TRAM flap  | 6,758            | -     | -      | -      | -      | -           |
| DIEP flap  | 5,118            | -     | -      | -      | -      | -           |
| Latissimus Dorsi Flap                                  | 6,335            | -     | -      | -      | -      | -           |
| Breast reduction                                       | 83,241           | 4,645 | 13,464 | 19,950 | 30,251 | 14,931      |
| Breast implant removals (Reconstructive patients only) | 14,991           | 134   | 1,031  | 2,870  | 6,779  | 4,177       |

## Report of the 2010 Plastic Surgery Statistics

Please credit the American Society of Plastic Surgeons when citing statistical data or using graphics.

► Table of Contents

- > About the American Society of Plastic Surgeons
- ► <u>Methodology and Validity</u>
- > 2010 Quick Facts Plastic Surgery Trends

> 2010 Quick Facts - Demographic Trends

#### **ASPS Public Relations**

Phone: 847-228-9900 Fax: 847-228-7485 Email: media@plasticsurgery.org Website: www.plasticsurgery.org

All values are projected. \* Data unavailable in prior year. \*\*\*Botulinum Toxin Type A numbers are of anatomic sites injected.

ASPS Member Only Procedural Statistics represent procedures performed by ASPS Member Surgeons certified by The American Board of Plastic Surgery<sup>®</sup>. <sup>©</sup> ASPS, 2011



# 2010 Cosmetic Plastic Surgery Trends

ASPS Member Surgeon Data Only

| COSMETIC SURGICAL PROCEDURES                         | 2010    | 2009    | 2000    | % CHANGE<br>2010 vs. 2009 | % CHANGE<br>2010 vs. 2000 |
|--|---------|---------|---------|---------------------------|---------------------------|
| Breast augmentation (Augmentation mammaplasty)       | 283,721 | 277,136 | 187,755 | 2%                        | 51%                       |
| Saline Implants                                      | 115,917 | 138,189 | *       | -16%                      | *                         |
| Silicone Implants                                    | 145,836 | 136,893 | *       | 7%                        | *                         |
| Breast implant removals (Augmentation patients only) | 21,635  | 19,785  | 37,984  | 9%                        | -43%                      |
| Breast lift (Mastopexy)                              | 87,621  | 85,141  | 45,537  | 3%                        | 92%                       |
| Breast reduction in men (Gynecomastia)               | 15,879  | 15,050  | 9,199   | 6%                        | 73%                       |
| Buttock implants                                     | 806     | 799     | *       | 1%                        | *                         |
| Buttock lift   | 2,915   | 2,786   | 1,356   | 5%                        | 115%                      |
| Calf augmentation                                    | 418     | 259     | *       | 61%                       | *                         |
| Cheek implant (Malar augmentation)                   | 3,006   | 3,397   | 3,304   | -12%                      | -9%                       |
| Chin augmentation (Mentoplasty)                      | 5,132   | 5,571   | 7,087   | -8%                       | -28%                      |
| Dermabrasion   | 15,205  | 12,504  | *       | 22%                       | *                         |
| Ear surgery (Otoplasty)                              | 9,894   | 8,419   | 9,911   | 18%                       | 0%                        |
| Eyelid surgery (Blepharoplasty)                      | 93,578  | 91,133  | 172,244 | 3%                        | -46%                      |
| Facelift (Rhytidectomy)                              | 67,226  | 61,673  | 70,882  | 9%                        | -5%                       |
| Forehead lift  | 27,543  | 27,499  | 41,668  | 0%                        | -34%                      |
| Hair transplantation                                 | 1,147   | 1,074   | 1,958   | 7%                        | -41%                      |
| Lip augmentation (other than injectable materials)   | 5,689   | 8,493   | *       | -33%                      | *                         |
| liposuction  | 168,770 | 164,736 | 229,588 | 2%                        | -26%                      |
| _ower body lift                                      | 8,963   | 8,257   | *       | 9%                        | *                         |
| Nose reshaping (Rhinoplasty, including septoplasty)  | 43,093  | 43,727  | 50,617  | -1%                       | -15%                      |
| Pectoral implants                                    | 222     | 230     | *       | -3%                       | *                         |
| Thigh lift   | 8,641   | 8,013   | 5,096   | 8%                        | 70%                       |
| Tummy tuck (Abdominoplasty)                          | 111,435 | 110,323 | 58,463  | 1%                        | 91%                       |
| Upper arm lift                                       | 14,443  | 13,798  | *       | 5%                        | *                         |
| TOTAL COSMETIC PROCEDURES                            | 996,982 | 969,803 | 932,649 | 3%                        | 7%                        |

| COSMETIC MINIMALLY-INVASIVE PROCEDURES   | 2010      | 2009      | 2000      | % CHANGE<br>2010 vs. 2009 | % CHANGE<br>2010 vs. 2000 |
|--|-----------|-----------|-----------|---------------------------|---------------------------|
| Botulinum Toxin Type A (Botox <sup>®</sup> , Dysport <sup>®</sup> )***                           | 1,969,718 | 1,618,438 | 118,452   | 22%                       | 1563%                     |
| Cellulite treatment (Velosmooth®, Endermology)   | 24,110    | 26,466    | *         | -9%                       | *                         |
| Chemical peel  | 82,461    | 82,323    | 68,198    | 0%                        | 21%                       |
| Intense Pulsed Light (IPL) treatment   | 106,188   | 99,303    | *         | 7%                        | *                         |
| Laser hair removal   | 169,311   | 145,068   | *         | 17%                       | *                         |
| Laser skin resurfacing   | 75,570    | 80,918    | 48,038    | -7%                       | 57%                       |
| Ablative   | 21,960    | 21,488    | *         | 2%                        | *                         |
| Non-ablative (Fraxel <sup>®</sup> , etc.)  | 53,610    | 59,430    | *         | -10%                      | *                         |
| Laser treatment of leg veins   | 25,134    | 25,299    | *         | -1%                       | *                         |
| Microdermabrasion  | 165,332   | 182,465   | *         | -9%                       | *                         |
| Sclerotherapy  | 24,430    | 26,073    | *         | -6%                       | *                         |
| Soft Tissue Fillers  | 532,703   | 498,737   | 87,649    | 7%                        | 508%                      |
| Calcium hydroxylapatite (Radiesse®)  | 63,328    | 52,936    | *         | 20%                       | *                         |
| Collagen   | 9,834     | 14,898    | 62,839    | -34%                      | -84%                      |
| Porcine/bovine-based (Evolence <sup>®</sup> , Zyderm <sup>®</sup> , Zyplast <sup>®</sup> )       | 4,535     | 9,578     | *         | -53%                      | *                         |
| Human-based (Cosmoderm <sup>®</sup> , Cosmoplast <sup>®</sup> , Cymetra <sup>®</sup> )           | 5,299     | 5,320     | *         | 0%                        | *                         |
| Fat  | 41,265    | 35,813    | 24,810    | 15%                       | 66%                       |
| Hyaluronic acid (Juvederm Ultra®, Juvederm Ultra Plus®, Perlane®,<br>Prevelle Silk®, Restylane®) | 362,152   | 364,518   | *         | -1%                       | *                         |
| Polylactic acid (Sculptra®)  | 47,150    | 26,820    | *         | 76%                       | *                         |
| Polymethyl-methacrylate microspheres (Artefill®)   | 8,974     | 3,752     | *         | 139%                      | *                         |
| TOTAL COSMETIC MINIMALLY-INVASIVE PROCEDURES   | 3,174,957 | 2,785,090 | 322,337   | 14%                       | 885%                      |
| TOTAL COSMETIC PROCEDURES  | 4,171,939 | 3,754,893 | 1,254,986 | 11%                       | 232%                      |

## Report of the 2010 Plastic Surgery Statistics

Please credit the American Society of Plastic Surgeons when citing statistical data or using graphics.

← →

- ► <u>Table of Contents</u>
- > About the American Society of Plastic Surgeons
- ► <u>Methodology and Validity</u>
- > 2010 Quick Facts Plastic Surgery Trends

> 2010 Quick Facts - Demographic Trends

#### **ASPS Public Relations**

Phone: 847-228-9900 Fax: 847-228-7485 Email: media@plasticsurgery.org Website: www.plasticsurgery.org

All values are projected. ^In 2000 figure included all animal bites.

ASPS Member Only Procedural Statistics represent procedures performed by ASPS Member Surgeons certified by The American Board of Plastic Surgery®. © ASPS, 2011



# 2010 Reconstructive Plastic Surgery Trends

ASPS Member Surgeon Data Only

| RECONSTRUCTIVE PROCEDURES                              | 2010      | 2009      | 2000      | % CHANGE<br>2010 vs. 2009 | % CHANGE<br>2010 vs. 2000 |
|--|-----------|-----------|-----------|---------------------------|---------------------------|
| Dog bite repair^                                       | 19,160    | 17,720    | 13,503    | 8%                        | 42%                       |
| Birth defect reconstruction                            | 26,565    | 24,343    | 36,968    | 9%                        | -28%                      |
| Cleft lip and palate                                   | 13,706    | 15,030    | *         | -9%                       | *                         |
| Breast implant removals (Reconstructive patients only) | 14,991    | 16,058    | 16,287    | -7%                       | -8%                       |
| Breast reconstruction                                  | 93,083    | 86,424    | 78,832    | 8%                        | 18%                       |
| Saline Implants  | 19,745    | 17,879    | *         | 3%                        | *                         |
| Silicone Implants                                      | 54,450    | 48,196    | *         | 5%                        | *                         |
| Implant alone  | 9,804     | 9,097     | *         | 4%                        | *                         |
| Tissue expander and implant                            | 64,391    | 56,978    | *         | 9%                        | *                         |
| TRAM Flap  | 7,009     | 9,327     | *         | -28%                      | *                         |
| DIEP Flap  | 5,308     | 4,424     | *         | 16%                       | *                         |
| Latissimus Dorsi Flap                                  | 6,571     | 6,598     | *         | -4%                       | *                         |
| Breast reduction                                       | 82,871    | 78,078    | 83,638    | 6%                        | -1%                       |
| Burn care  | 14,019    | 15,415    | 15,087    | -9%                       | -7%                       |
| Hand surgery (excluding microsurgical)                 | 102,282   | 106,703   | 190,874   | -4%                       | -46%                      |
| Carpal tunnel  | 41,823    | 40,075    | *         | 4%                        | *                         |
| Arthritis  | 11,484    | 10,356    | *         | 11%                       | *                         |
| Trigger finger   | 24,199    | 22,245    | *         | 9%                        | *                         |
| Laceration repair                                      | 125,582   | 117,029   | 67,064    | 7%                        | 87%                       |
| Maxillofacial surgery                                  | 18,489    | 19,195    | 22,547    | -4%                       | -18%                      |
| Microsurgery (other than breast)                       | 14,219    | 10,999    | 22,270    | 29%                       | -36%                      |
| Scar revision  | 57,358    | 61,189    | 47,989    | -6%                       | 20%                       |
| Tumor removal (including skin cancer)                  | 536,734   | 487,146   | 578,161   | 10%                       | -7%                       |
| Skin cancer tumor removal                              | 402,464   | 344,076   | *         | 17%                       | *                         |
| Basal cell   | 214,575   | 181,637   | *         | 18%                       | *                         |
| Squamous cell  | 101,465   | 79,756    | *         | 27%                       | *                         |
| Melanoma   | 29,100    | 29,926    | *         | -3%                       | *                         |
| Other reconstructive procedures                        | 126,102   | 128,593   | 167,972   | -2%                       | -25%                      |
| TOTAL RECONSTRUCTIVE PROCEDURES                        | 1,231,455 | 1,168,892 | 1,341,192 | 5%                        | -8%                       |



Please credit the American Society of Plastic Surgeons when citing statistical data or using graphics.

# 2010 Body Contouring After Massive Weight Loss

ASPS Member Surgeon Data Only

| BODY CONTOURING AFTER MASSIVE WEIGHT LOSS PROCEDURES       | 2010   | 2009   | % CHANGE<br>2010 vs 2009 |
|--|--------|--------|--------------------------|
| Breast lift (Mastopexy) after massive weight loss          | 17,195 | 16,133 | 7%                       |
| Lower body lift after massive weight loss                  | 4,563  | 4,062  | 12%                      |
| Thigh lift after massive weight loss                       | 6,001  | 5,632  | 7%                       |
| Tummy tuck (Abdominoplasty) after massive weight loss      | 18,179 | 16,706 | 9%                       |
| Upper arm lift after massive weight loss                   | 6,665  | 6,283  | 6%                       |
| TOTAL BODY CONTOURING AFTER MASSIVE WEIGHT LOSS PROCEDURES | 52,603 | 48,816 | 6%                       |

- ► Table of Contents
- > About the American Society of Plastic Surgeons
- ► <u>Methodology and Validity</u>
- > 2010 Quick Facts Plastic Surgery Trends
- > 2010 Quick Facts Demographic Trends

#### **ASPS Public Relations**

Phone: 847-228-9900 Fax: 847-228-7485 Email: media@plasticsurgery.org Website: www.plasticsurgery.org

All values are projected.

ASPS Member Only Procedural Statistics represent procedures performed by ASPS Member Surgeons certified by The American Board of Plastic Surgery®. © ASPS, 2011

